

## CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM

## CANADIAN AM FREQ LIST COMPILED FROM AM DX.COM BY KEN B

530	<b>CFHS</b>	<b>FORT FRANCES</b>	ON	Unl	ND1	0.05	kW
530	<b>CIAO</b>	<b>BRAMPTON</b>	ON	Day	DAD	1	kW
530	<b>CIAO</b>	<b>BRAMPTON</b>	ON	Nit	DAD	0.25	kW
530	<b>CIRS</b>	<b>SAULT STE MARIE</b>	ON	Unl	ND1	0.05	kW
530	<b>CJFT</b>	<b>FORT ERIE</b>	ON	Unl	DA1	0.25	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Day	ND1	0.4	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Nit	ND1	0.25	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Day	DA1	0.4	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Nit	DA1	0.25	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Day	NDD	1	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Day	ND2	1	kW
530	<b>CKHL</b>	<b>HIGH LEVEL</b>	AB	Nit	ND2	0.25	kW
540	<b>CBEF</b>	<b>WINDSOR</b>	ON	Day	DA1	2.5	kW
540	<b>CBEF</b>	<b>WINDSOR</b>	ON	Nit	DA1	5	kW
540	<b>CBGA-1</b>	<b>NEW CARLISLE</b>	QC	Day	DA2	40	kW
540	<b>CBGA-1</b>	<b>NEW CARLISLE</b>	QC	Nit	DA2	40	kW
540	<b>CBK</b>	<b>WATROUS</b>	SK	Unl	ND1	50	kW
540	<b>CBT</b>	<b>GRAND FALLS</b>	NF	Unl	ND1	10	kW
540	<b>CHIC</b>	<b>CHICOUTIMI</b>	QC	Day	DAN	0	kW
540	<b>CHIC</b>	<b>CHICOUTIMI</b>	QC	Nit	DAN	0	kW
540	<b>CHIC</b>	<b>CHICOUTIMI</b>	QC	Day	DAN	10	kW
540	<b>CHIC</b>	<b>CHICOUTIMI</b>	QC	Nit	DAN	10	kW

540	<b>CJSB</b>	<b>OTTAWA</b>	ON	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
540	<b>CJSB</b>	<b>OTTAWA</b>	ON	Nit	DA2	12.5	kW
550	<b>CFJC</b>	<b>KAMLOOPS</b>	BC	Day	DA2	25	kW
550	<b>CFJC</b>	<b>KAMLOOPS</b>	BC	Nit	DA2	5	kW
550	<b>CFNB</b>	<b>FREDERICTON</b>	NB	Day	DA2	80	kW
550	<b>CFNB</b>	<b>FREDERICTON</b>	NB	Nit	DA2	80	kW
550	<b>CFNB</b>	<b>FREDERICTON</b>	NB	Day	DA2	50	kW
550	<b>CFNB</b>	<b>FREDERICTON</b>	NB	Nit	DA2	50	kW
550	<b>CHLN</b>	<b>TROIS RIVIERES</b>	QC	Day	DA2	10	kW
550	<b>CHLN</b>	<b>TROIS RIVIERES</b>	QC	Nit	DA2	5	kW
550	<b>CHNO</b>	<b>SUDBURY</b>	ON	Nit	DA2	10	kW
550	<b>CHNO</b>	<b>SUDBURY</b>	ON	Day	DA2	50	kW
550	<b>CJOK</b>	<b>FORT MCMURRAY</b>	AB	Day	DA2	70	kW
550	<b>CJOK</b>	<b>FORT MCMURRAY</b>	AB	Nit	DA2	7	kW
550	<b>CKPG</b>	<b>PRINCE GEORGE</b>	BC	Day	DAN	10	kW
550	<b>CKPG</b>	<b>PRINCE GEORGE</b>	BC	Nit	DAN	10	kW
560	<b>CBDN</b>	<b>DAWSON</b>	YT	Unl	ND1	0.4	kW
560	<b>CBDN</b>	<b>DAWSON</b>	YT	Unl		0.4	kW
560	<b>CFOS</b>	<b>OWEN SOUND</b>	ON	Day	DA2	5	kW
560	<b>CFOS</b>	<b>OWEN SOUND</b>	ON	Nit	DA2	5	kW
560	<b>CFOS</b>	<b>OWEN SOUND</b>	ON	Day	DAD	7.5	kW
560	<b>CHTK</b>	<b>PRINCE RUPERT</b>	BC	Day	ND1	1	kW
560	<b>CHTK</b>	<b>PRINCE RUPERT</b>	BC	Nit	ND1	0.25	kW
560	<b>CHVO</b>	<b>SPANIARD'S BAY</b>	NF	Unl	DA1	3	kW
560	<b>CJKL</b>	<b>KIRKLAND LAKE</b>	ON	Day	DAN	1	kW
560	<b>CJKL</b>	<b>KIRKLAND LAKE</b>	ON	Nit	DAN	1	kW

560	<b>CKCN</b>	<b>SEPT-ILES</b>	QC	Day	DA2	60	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
560	<b>CKCN</b>	<b>SEPT-ILES</b>	QC	Nit	DA2	6	kW
560	<b>CKCN</b>	<b>SEPT-ILES</b>	QC	Day	DAN	10	kW
560	<b>CKCN</b>	<b>SEPT-ILES</b>	QC	Nit	DAN	5	kW
560	<b>CKNL</b>	<b>FORT ST. JOHN</b>	BC	Day	DAN	1	kW
560	<b>CKNL</b>	<b>FORT ST. JOHN</b>	BC	Nit	DAN	1	kW
570	<b>CFCB</b>	<b>CORNER BROOK</b>	NF	Unl	ND1	1	kW
570	<b>CFWH</b>	<b>WHITEHORSE</b>	YT	Day	ND1	3	kW
570	<b>CFWH</b>	<b>WHITEHORSE</b>	YT	Nit	ND1	3	kW
570	<b>CHYM</b>	<b>KITCHENER</b>	ON	Unl	DA1	10	kW
570	<b>CJEM</b>	<b>EDMUNDSTON</b>	NB	Day	DAN	2	kW
570	<b>CJEM</b>	<b>EDMUNDSTON</b>	NB	Nit	DAN	2	kW
570	<b>CJEM</b>	<b>EDMUNDSTON</b>	NB	Day	DAN	5	kW
570	<b>CJEM</b>	<b>EDMUNDSTON</b>	NB	Nit	DAN	1	kW
570	<b>CKEK</b>	<b>CRANBROOK</b>	BC	Day	DA1	10	kW
570	<b>CKEK</b>	<b>CRANBROOK</b>	BC	Nit	DA1	1	kW
570	<b>CKSW</b>	<b>SWIFT CURRENT</b>	SK	Unl	DA1	20	kW
570	<b>CKWL</b>	<b>WILLIAMS LAKE</b>	BC	Day	DAN	1	kW
570	<b>CKWL</b>	<b>WILLIAMS LAKE</b>	BC	Nit	DAN	1	kW
580	<b>CFRA</b>	<b>OTTAWA</b>	ON	Day	DA2	90	kW
580	<b>CFRA</b>	<b>OTTAWA</b>	ON	Nit	DA2	90	kW
580	<b>CFRA</b>	<b>OTTAWA</b>	ON	Day	DA2	50	kW
580	<b>CFRA</b>	<b>OTTAWA</b>	ON	Nit	DA2	10	kW
580	<b>CHLC</b>	<b>BAIE COMEAU</b>	QC	Day	DA2	20	kW
580	<b>CHLC</b>	<b>BAIE COMEAU</b>	QC	Nit	DA2	2.5	kW
580	<b>CHLC</b>	<b>HAUTERIVE</b>	QC	Day	DA2	5	kW

580	<b>CHLC</b>	<b>HAUTERIVE</b>	QC	Nit	DA2	2.5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
580	<b>CJFX</b>	<b>ANTIGONISH</b>	NS	Unl	DA1	70	kW
580	<b>CJFX</b>	<b>ANTIGONISH</b>	NS	Unl	DA1	25	kW
580	<b>CKPR</b>	<b>THUNDER BAY</b>	ON	Day	ND1	0	kW
580	<b>CKPR</b>	<b>THUNDER BAY</b>	ON	Nit	ND1	0	kW
580	<b>CKUA</b>	<b>EDMONTON</b>	AB	Day	DA2	40	kW
580	<b>CKUA</b>	<b>EDMONTON</b>	AB	Nit	DA2	40	kW
580	<b>CKWW</b>	<b>WINDSOR</b>	ON	Unl	DA1	0.5	kW
580	<b>CKXR</b>	<b>SALMON ARM</b>	BC	Day	DAN	10	kW
580	<b>CKXR</b>	<b>SALMON ARM</b>	BC	Nit	DAN	1	kW
580	<b>CKY</b>	<b>WINNIPEG</b>	MB	Day	DA2	50	kW
580	<b>CKY</b>	<b>WINNIPEG</b>	MB	Nit	DA2	50	kW
580	<b>CKY</b>	<b>WINNIPEG</b>	MB	Day	DA2	50	kW
580	<b>CKY</b>	<b>WINNIPEG</b>	MB	Nit	DA2	50	kW
590	<b>CFAR</b>	<b>FLIN FLON</b>	MB	Day	ND1	10	kW
590	<b>CFAR</b>	<b>FLIN FLON</b>	MB	Nit	DAD	1	kW
590	<b>CFAR</b>	<b>FLIN FLON</b>	MB	Day	DAD	10	kW
590	<b>CFNL</b>	<b>FORT NELSON</b>	BC	Unl	ND1	0.25	kW
590	<b>CFTK</b>	<b>TERRACE</b>	BC	Unl	DA1	1	kW
590	<b>CJCL</b>	<b>TORONTO</b>	ON	Unl	DA1	0	kW
590	<b>CJCW</b>	<b>SUSSEX</b>	NB	Day	DA2	1	kW
590	<b>CJCW</b>	<b>SUSSEX</b>	NB	Nit	DA2	0.25	kW
590	<b>CKRS</b>	<b>JONQUIERE</b>	QC	Day	DA2	25	kW
590	<b>CKRS</b>	<b>JONQUIERE</b>	QC	Nit	DA2	5	kW
590	<b>CKRS</b>	<b>JONQUIERE</b>	QC	Day	DA2	10	kW
590	<b>CKRS</b>	<b>JONQUIERE</b>	QC	Nit	DA2	5	kW

590	<b>CKRS</b>	<b>JONQUIERE</b>	QC	Nit	DA2	5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
590	<b>VOCM</b>	<b>ST. JOHN'S</b>	NF	Day	DAN	20	kW
590	<b>VOCM</b>	<b>ST. JOHN'S</b>	NF	Nit	DAN	20	kW
600	<b>CBNA</b>	<b>ST. ANTHONY</b>	NF	Day	DA2	10	kW
600	<b>CBNA</b>	<b>ST. ANTHONY</b>	NF	Nit	DA2	10	kW
600	<b>CFCF</b>	<b>MONTREAL</b>	QC	Day	DA2	50	kW
600	<b>CFCF</b>	<b>MONTREAL</b>	QC	Nit	DA2	5	kW
600	<b>CFCH</b>	<b>NORTH BAY</b>	ON	Day	DA2	10	kW
600	<b>CFCH</b>	<b>NORTH BAY</b>	ON	Nit	DA2	5	kW
600	<b>CFCT</b>	<b>TUKTOYAKTUK</b>	NT	Unl	ND1	3	kW
600	<b>CJWW</b>	<b>SASKATOON</b>	SK	Day	DA2	65	kW
600	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	6	kW
600	<b>CJWW</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
600	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
600	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	8	kW
600	<b>CKBD</b>	<b>VANCOUVER</b>	BC	Unl	DA1	0	kW
600	<b>CKCL</b>	<b>TRURO</b>	NS	Day	DA1	10	kW
600	<b>CKCL</b>	<b>TRURO</b>	NS	Nit	DA1	1	kW
600	<b>CKCL</b>	<b>TRURO</b>	NS	Day	DA2	10	kW
600	<b>CKCL</b>	<b>TRURO</b>	NS	Nit	DA2	1	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Day	DAN	3	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Nit	DAN	3	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Day	DAN	1	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Nit	DAN	1	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Day	DAN	1	kW
610	<b>CFLO</b>	<b>MONT-LAURIER</b>	QC	Nit	DAN	1	kW

610	<b>CHNC</b>	<b>NEW CARLISLE</b>	QC	Day	DA2	40	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDR.COM							
610	<b>CHNC</b>	<b>NEW CARLISLE</b>	QC	Nit	DA2	4	kW
610	<b>CHNC</b>	<b>NEW CARLISLE</b>	QC	Day	DA2	10	kW
610	<b>CHNC</b>	<b>NEW CARLISLE</b>	QC	Nit	DA2	5	kW
610	<b>CHNL</b>	<b>KAMLOOPS</b>	BC	Day	DA2	25	kW
610	<b>CHNL</b>	<b>KAMLOOPS</b>	BC	Nit	DA2	5	kW
610	<b>CHTM</b>	<b>THOMPSON</b>	MB	Unl	ND1	0	kW
610	<b>CJAT</b>	<b>TRAIL</b>	BC	Day	DAD	90	kW
610	<b>CJAT</b>	<b>TRAIL</b>	BC	Nit	DAD	9	kW
610	<b>CJAT</b>	<b>TRAIL</b>	BC	Day	DAD	10	kW
610	<b>CJAT</b>	<b>TRAIL</b>	BC	Nit	DAD	1	kW
610	<b>CKRW</b>	<b>WHITEHORSE</b>	YT	Unl	ND1	1	kW
610	<b>CKTB</b>	<b>ST. CATHARINES</b>	ON	Day	DA1	20	kW
610	<b>CKTB</b>	<b>ST. CATHARINES</b>	ON	Nit	DA1	2	kW
610	<b>CKXJ</b>	<b>GRAND BANK</b>	NF	Day	DA2	10	kW
610	<b>CKXJ</b>	<b>GRAND BANK</b>	NF	Nit	DA2	10	kW
610	<b>CKXJ</b>	<b>GRAND BANK</b>	NF	Day	DA2	10	kW
610	<b>CKXJ</b>	<b>GRAND BANK</b>	NF	Nit	DA2	10	kW
610	<b>CKYL</b>	<b>PEACE RIVER</b>	AB	Day	DAN	10	kW
610	<b>CKYL</b>	<b>PEACE RIVER</b>	AB	Nit	DAN	10	kW
620	<b>CFRP</b>	<b>FORESTVILLE</b>	QC	Unl	DA1	1	kW
620	<b>CJCI</b>	<b>PRINCE GEORGE</b>	BC	Day	DAN	10	kW
620	<b>CJCI</b>	<b>PRINCE GEORGE</b>	BC	Nit	DAN	10	kW
620	<b>CKCK</b>	<b>REGINA</b>	SK	Day	DA2	10	kW
620	<b>CKCK</b>	<b>REGINA</b>	SK	Nit	DA2	10	kW
620	<b>CKCM</b>	<b>GRAND FALLS</b>	NF	Unl	DA1	10	kW

Frequency	Call Sign	City	Province	Day	Power	Class	Power	Class
620	<b>CKOY</b>	<b>TIMMINS</b>	ON	Day	DA2	10	kW	
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM								
620	<b>CKOY</b>	<b>TIMMINS</b>	ON	Nit	DA2	5	kW	
630	<b>CFBK</b>	<b>HUNTSVILLE</b>	ON	Day	DAN	1	kW	
630	<b>CFBK</b>	<b>HUNTSVILLE</b>	ON	Nit	DAN	1	kW	
630	<b>CFCO</b>	<b>CHATHAM</b>	ON	Day	DA2	10	kW	
630	<b>CFCO</b>	<b>CHATHAM</b>	ON	Nit	DA2	6	kW	
630	<b>CFCY</b>	<b>CHARLOTTETOWN</b>	PE	Day	DA2	10	kW	
630	<b>CFCY</b>	<b>CHARLOTTETOWN</b>	PE	Nit	DA2	10	kW	
630	<b>CHED</b>	<b>EDMONTON</b>	AB	Day	DA2	20	kW	
630	<b>CHED</b>	<b>EDMONTON</b>	AB	Nit	DA2	20	kW	
630	<b>CHLT</b>	<b>SHERBROOKE</b>	QC	Day	DA2	10	kW	
630	<b>CHLT</b>	<b>SHERBROOKE</b>	QC	Nit	DA2	1	kW	
630	<b>CHLT</b>	<b>SHERBROOKE</b>	QC	Day	DA2	10	kW	
630	<b>CJET</b>	<b>SMITHS FALLS</b>	ON	Day	DA2	70	kW	
630	<b>CJET</b>	<b>SMITHS FALLS</b>	ON	Nit	DA2	10	kW	
630	<b>CKRC</b>	<b>WINNIPEG</b>	MB	Day	DA2	40	kW	
630	<b>CKRC</b>	<b>WINNIPEG</b>	MB	Nit	DA2	40	kW	
630	<b>CKRC</b>	<b>WINNIPEG</b>	MB	Day	DA2	10	kW	
630	<b>CKRC</b>	<b>WINNIPEG</b>	MB	Nit	DA2	10	kW	
640	<b>CBN</b>	<b>ST. JOHN'S</b>	NF	Day	ND1	10	kW	
640	<b>CBN</b>	<b>ST. JOHN'S</b>	NF	Nit	ND1	10	kW	
640	<b>CBN</b>	<b>ST. JOHN'S</b>	NF	Unl	ND1	10	kW	
640	<b>CBN</b>	<b>ST. JOHN'S</b>	NF	Unl	ND1	10	kW	
640	<b>CFMJ</b>	<b>RICHMOND HILL</b>	ON	Unl	DA1	50	kW	
640	<b>CFMJ</b>	<b>RICHMOND HILL</b>	ON	Unl	DA1	50	kW	
640	<b>CFOB</b>	<b>FORT FRANCES</b>	ON	Day	DAN	1	kW	

640	<b>CFOB</b>	<b>FORT FRANCES</b>	ON	Nit	DAN	1	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
650	<b>831219</b>	<b>ROUYN-NORANDA</b>	QC	Nit	DAN	1	kW
650	<b>831219</b>	<b>ROUYN-NORANDA</b>	QC	Day	DAN	10	kW
650	<b>CINT</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
650	<b>CINT</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
650	<b>CISL</b>	<b>RICHMOND</b>	BC	Day	DA2	20	kW
650	<b>CISL</b>	<b>RICHMOND</b>	BC	Nit	DA2	2	kW
650	<b>CKOM</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
650	<b>CKOM</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
660	<b>CFFR</b>	<b>CALGARY</b>	AB	Day	DA2	60	kW
660	<b>CFFR</b>	<b>CALGARY</b>	AB	Nit	DA2	60	kW
670	<b>CKXB</b>	<b>MUSGRAVETOWN</b>	NF	Day	DA2	30	kW
670	<b>CKXB</b>	<b>MUSGRAVETOWN</b>	NF	Nit	DA2	30	kW
670	<b>CKXB</b>	<b>MUSGRAVETOWN</b>	NF	Day	DA2	10	kW
670	<b>CKXB</b>	<b>MUSGRAVETOWN</b>	NF	Nit	DA2	10	kW
680	<b>CFTR</b>	<b>TORONTO</b>	ON	Day	DA2	90	kW
680	<b>CFTR</b>	<b>TORONTO</b>	ON	Nit	DA2	90	kW
680	<b>CHFA</b>	<b>EDMONTON</b>	AB	Day	DA2	10	kW
680	<b>CHFA</b>	<b>EDMONTON</b>	AB	Nit	DA2	10	kW
680	<b>CJOB</b>	<b>WINNIPEG</b>	MB	Nit	DA2	50	kW
680	<b>CJOB</b>	<b>WINNIPEG</b>	MB	Day	DA2	50	kW
680	<b>CKXG</b>	<b>GRAND FALLS</b>	NF	Day	DA2	60	kW
680	<b>CKXG</b>	<b>GRAND FALLS</b>	NF	Nit	DA2	60	kW
690	<b>CBKF</b>	<b>GRAVELBOURG</b>	SK	Day	DAN	5	kW
690	<b>CBKF</b>	<b>GRAVELBOURG</b>	SK	Nit	DAN	5	kW
690	<b>CBU</b>	<b>VANCOUVER</b>	BC	Unl	DA1	50	kW

690	<b>CINF</b>	<b>MONTREAL</b>	<b>QC</b>	<b>Day</b>	<b>DA1</b>	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDB.COM							
690	<b>CINF</b>	<b>MONTREAL</b>	<b>QC</b>	<b>Nit</b>	<b>DA1</b>	50	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Day</b>	<b>DA2</b>	50	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Nit</b>	<b>DA2</b>	10	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Day</b>	<b>DA2</b>	25	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Nit</b>	<b>DA2</b>	10	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Nit</b>	<b>DA2</b>	10	kW
700	<b>CHSJ</b>	<b>ST. JOHN</b>	<b>NB</b>	<b>Day</b>	<b>DAN</b>	70	kW
700	<b>CHSJ</b>	<b>ST. JOHN</b>	<b>NB</b>	<b>Nit</b>	<b>DAN</b>	7	kW
700	<b>CHSJ</b>	<b>SAINT JOHN</b>	<b>NB</b>	<b>Day</b>	<b>DA2</b>	25	kW
700	<b>CJGN</b>	<b>CALGARY</b>	<b>AB</b>	<b>Day</b>	<b>DA2</b>	50	kW
700	<b>CJGN</b>	<b>CALGARY</b>	<b>AB</b>	<b>Nit</b>	<b>DA2</b>	20	kW
700	<b>CKRD</b>	<b>RED DEER</b>	<b>AB</b>	<b>Day</b>	<b>DA2</b>	70	kW
700	<b>CKRD</b>	<b>RED DEER</b>	<b>AB</b>	<b>Nit</b>	<b>DA2</b>	75	kW
710	<b>CHYR</b>	<b>LEAMINGTON</b>	<b>ON</b>	<b>Day</b>	<b>DAD</b>	40	kW
710	<b>CHYR</b>	<b>LEAMINGTON</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	10	kW
710	<b>CHYR</b>	<b>LEAMINGTON</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	4.7	kW
710	<b>CHYR</b>	<b>LEAMINGTON</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	10	kW
710	<b>CHYR</b>	<b>LEAMINGTON</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	1	kW
710	<b>CIPC</b>	<b>PORT CARTIER</b>	<b>QC</b>	<b>Unl</b>	<b>DA1</b>	6	kW
710	<b>CIPC</b>	<b>PORT CARTIER</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	6	kW
710	<b>CIPC</b>	<b>PORT CARTIER</b>	<b>QC</b>	<b>Nit</b>	<b>DA2</b>	6	kW
710	<b>CJRN</b>	<b>NIAGARA FALLS</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	5	kW
710	<b>CJRN</b>	<b>NIAGARA FALLS</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	5.5	kW
710	<b>CJRN</b>	<b>NIAGARA FALLS</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	10	kW
710	<b>CJRN</b>	<b>NIAGARA FALLS</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	10	kW

710	<b>CKVM</b>	<b>VILLE MARIE</b>	QC	Day	DAN	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
710	<b>CKVM</b>	<b>VILLE MARIE</b>	QC	Nit	DAN	1	kW
710	<b>CKVO</b>	<b>CLARENVILLE</b>	NF	Unl	DA1	10	kW
720	<b>831108</b>	<b>PRINCE RUPERT</b>	BC	Nit	DAN	1	kW
720	<b>831108</b>	<b>PRINCE RUPERT</b>	BC	Day	DAN	10	kW
720	<b>CHTN</b>	<b>CHARLOTTETOWN</b>	PE	Day	DAN	60	kW
720	<b>CHTN</b>	<b>CHARLOTTETOWN</b>	PE	Nit	DAN	6.5	kW
730	<b>CHMJ</b>	<b>VANCOUVER</b>	BC	Day	DA2	50	kW
730	<b>CHMJ</b>	<b>VANCOUVER</b>	BC	Nit	DA2	50	kW
730	<b>CHYR7</b>	<b>LEAMINGTON</b>	ON	Nit	DAN	0.5	kW
730	<b>CHYR7</b>	<b>LEAMINGTON</b>	ON	Nit	DAN	1	kW
730	<b>CHYR7</b>	<b>LEAMINGTON</b>	ON	Nit	DAN	0.5	kW
730	<b>CJNR</b>	<b>BLIND RIVER</b>	ON	Day	DAN	1	kW
730	<b>CJNR</b>	<b>BLIND RIVER</b>	ON	Nit	DAN	1	kW
730	<b>CKAC</b>	<b>MONTREAL</b>	QC	Unl	DA1	50	kW
730	<b>CKDM</b>	<b>DAUPHIN</b>	MB	Day	DAN	10	kW
730	<b>CKDM</b>	<b>DAUPHIN</b>	MB	Nit	DAN	1	kW
740	<b>CBX</b>	<b>EDMONTON</b>	AB	Day	DA2	80	kW
740	<b>CBX</b>	<b>EDMONTON</b>	AB	Nit	DA2	80	kW
740	<b>CHCM</b>	<b>MARYSTOWN</b>	NF	Day	DAN	90	kW
740	<b>CHCM</b>	<b>MARYSTOWN</b>	NF	Nit	DAN	90	kW
740	<b>CHWO</b>	<b>TORONTO</b>	ON	Day	ND1	50	kW
740	<b>CHWO</b>	<b>TORONTO</b>	ON	Nit	ND1	50	kW
750	<b>750WIN</b>	<b>WINNIPEG</b>	MB	Day	DA2	5	kW
750	<b>750WIN</b>	<b>WINNIPEG</b>	MB	Nit	DA2	2.5	kW
750	<b>CBGY</b>	<b>BONAVISTA BAY</b>	NF	Nit	DA2	10	kW

750	<b>CBGY</b>	<b>BONAVISTA BAY</b>	NF	Day	DA2	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
750	<b>CBGY</b>	<b>BONAVISTA BAY</b>	NF	Nit	DA2	10	kW
750	<b>CJVR</b>	<b>MELFORT</b>	SK	Day	DAN	10	kW
750	<b>CJVR</b>	<b>MELFORT</b>	SK	Nit	DAN	10	kW
750	<b>CJVR</b>	<b>MELFORT</b>	SK	Day	DA2	25	kW
750	<b>CJVR</b>	<b>MELFORT</b>	SK	Nit	DA2	25	kW
750	<b>CJWW</b>	<b>SASKATOON</b>	SK	Day	DA2	40	kW
750	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	40	kW
750	<b>CJWW</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
750	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
750	<b>CKGB</b>	<b>TIMMINS</b>	ON	Day	DA2	10	kW
750	<b>CKGB</b>	<b>TIMMINS</b>	ON	Nit	DA2	1	kW
760	<b>831219</b>	<b>TRURO</b>	NS	Nit	DAN	1	kW
760	<b>831219</b>	<b>TRURO</b>	NS	Day	DAN	10	kW
760	<b>CFLD</b>	<b>BURNS LAKE</b>	BC	Nit	ND1	3.5	kW
760	<b>CFLD</b>	<b>BURNS LAKE</b>	BC	Day	ND1	3	kW
760	<b>CFLD</b>	<b>BURNS LAKE</b>	BC	Nit	ND1	1	kW
760	<b>CJME</b>	<b>REGINA</b>	SK	Day	DA2	10	kW
760	<b>CJME</b>	<b>REGINA</b>	SK	Nit	DA2	10	kW
760	<b>CKQR</b>	<b>CASTLEGAR</b>	BC	Day	DAN	50	kW
760	<b>CKQR</b>	<b>CASTLEGAR</b>	BC	Nit	DAN	5	kW
760	<b>CKQR</b>	<b>CASTLEGAR</b>	BC	Nit	DAN	5	kW
760	<b>CKQR</b>	<b>CASTLEGAR</b>	BC	Day	DAN	20	kW
770	<b>770NIP</b>	<b>NIPIGON</b>	ON	Day		1	kW
770	<b>770NIP</b>	<b>NIPIGON</b>	ON	Nit		1	kW
770	<b>CHQR</b>	<b>CALGARY</b>	AB	Day	DAN	10	kW

770	<b>CHQR</b>	<b>GALGARY</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
780	<b>CFDR</b>	<b>DARTMOUTH</b>	<b>NS</b>	<b>Day</b>	<b>DA2</b>	20	kW
780	<b>CFDR</b>	<b>DARTMOUTH</b>	<b>NS</b>	<b>Nit</b>	<b>DA2</b>	25	kW
780	<b>CKOK</b>	<b>PENTICTON</b>	<b>BC</b>	<b>Day</b>	<b>DA2</b>	30	kW
780	<b>CKOK</b>	<b>PENTICTON</b>	<b>BC</b>	<b>Nit</b>	<b>DA2</b>	3.8	kW
780	<b>CKOK</b>	<b>PENTICTON</b>	<b>BC</b>	<b>Nit</b>	<b>DA2</b>	2.8	kW
790	<b>CFAN</b>	<b>NEWCASTLE</b>	<b>NB</b>	<b>Day</b>	<b>DA2</b>	5	kW
790	<b>CFAN</b>	<b>NEWCASTLE</b>	<b>NB</b>	<b>Nit</b>	<b>DA2</b>	1	kW
790	<b>CFCW</b>	<b>CAMROSE</b>	<b>AB</b>	<b>Day</b>	<b>DA2</b>	50	kW
790	<b>CFCW</b>	<b>CAMROSE</b>	<b>AB</b>	<b>Nit</b>	<b>DA2</b>	50	kW
790	<b>CFNW</b>	<b>PORT AU CHOIX</b>	<b>NF</b>	<b>Unl</b>	<b>DA1</b>	4	kW
790	<b>CIAO</b>	<b>BRAMPTON</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	3	kW
790	<b>CIAO</b>	<b>BRAMPTON</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	5	kW
790	<b>CIAO</b>	<b>BRAMPTON</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	5	kW
790	<b>CIGM</b>	<b>SUDBURY</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	50	kW
790	<b>CIGM</b>	<b>SUDBURY</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	50	kW
790	<b>CIGM</b>	<b>SUDBURY</b>	<b>ON</b>	<b>Day</b>	<b>DA1</b>	50	kW
790	<b>CIGM</b>	<b>SUDBURY</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	50	kW
790	<b>CIGM</b>	<b>SUDBURY</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	50	kW
800	<b>CBQ</b>	<b>THUNDER BAY</b>	<b>ON</b>	<b>Day</b>	<b>DA1</b>	10	kW
800	<b>CBQ</b>	<b>THUNDER BAY</b>	<b>ON</b>	<b>Nit</b>	<b>DA1</b>	5	kW
800	<b>CHAB</b>	<b>MOOSE JAW</b>	<b>SK</b>	<b>Day</b>	<b>DAN</b>	10	kW
800	<b>CHAB</b>	<b>MOOSE JAW</b>	<b>SK</b>	<b>Nit</b>	<b>DAN</b>	10	kW
800	<b>CHRC</b>	<b>QUEBEC</b>	<b>QC</b>	<b>Unl</b>	<b>DA1</b>	50	kW
800	<b>CJAD</b>	<b>MONTREAL</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	60	kW
800	<b>CJAD</b>	<b>MONTREAL</b>	<b>QC</b>	<b>Nit</b>	<b>DA2</b>	60	kW

800	<b>CJBQ</b>	<b>BELLEVILLE</b>	ON	Day	DA2	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
800	<b>CJBQ</b>	<b>BELLEVILLE</b>	ON	Nit	DA2	10	kW
800	<b>CKLW</b>	<b>WINDSOR</b>	ON	Day	DA2	50	kW
800	<b>CKLW</b>	<b>WINDSOR</b>	ON	Nit	DA2	50	kW
800	<b>CKOR</b>	<b>PENTICTON</b>	BC	Day	ND1	0	kW
800	<b>CKOR</b>	<b>PENTICTON</b>	BC	Nit	ND1	0.5	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Day	DA2	90	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Nit	DA2	90	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Day	DA2	25	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Nit	DA2	25	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Day	DA2	25	kW
800	<b>CKST</b>	<b>LANGLEY</b>	BC	Nit	DA2	25	kW
800	<b>VOWR</b>	<b>ST. JOHN'S</b>	NF	Day	ND1	10	kW
800	<b>VOWR</b>	<b>ST. JOHN'S</b>	NF	Nit	ND1	1.5	kW
810	<b>CJVA</b>	<b>CARAQUET</b>	NB	Day	DAN	10	kW
810	<b>CJVA</b>	<b>CARAQUET</b>	NB	Nit	DAN	10	kW
810	<b>CKJS</b>	<b>WINNIPEG</b>	MB	Unl	DA1	10	kW
820	<b>CHAM</b>	<b>HAMILTON</b>	ON	Day	DA2	80	kW
820	<b>CHAM</b>	<b>HAMILTON</b>	ON	Nit	DA2	80	kW
830	<b>CFJR</b>	<b>BROCKVILLE</b>	ON	Day	DAN	9	kW
830	<b>CFJR</b>	<b>BROCKVILLE</b>	ON	Nit	DAN	9	kW
830	<b>CILW</b>	<b>WAINWRIGHT</b>	AB	Day	DAN	0	kW
830	<b>CILW</b>	<b>WAINWRIGHT</b>	AB	Nit	DAN	0.5	kW
830	<b>CKKY</b>	<b>WAINWRIGHT</b>	AB	Day	DAN	10	kW
830	<b>CKKY</b>	<b>WAINWRIGHT</b>	AB	Nit	DAN	3.5	kW
830	<b>CKKY</b>	<b>WAINWRIGHT</b>	AB	Cri	DAN	7	kW

840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Nit	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Day	DA2	10	kW
840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Nit	DA2	10	kW
840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Nit	DA2	10	kW
840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Day	DA2	10	kW
840	<b>CHUR</b>	<b>NORTH BAY</b>	ON	Nit	DA2	10	kW
840	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Day	DAN	70	kW
840	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Nit	DAN	70	kW
840	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Day	DA2	70	kW
840	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Nit	DA2	10	kW
840	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Day	DA2	25	kW
840	<b>CKBX</b>	<b>ONE HUNDRED MILE HOU</b>	BC	Day	ND1	5	kW
840	<b>CKBX</b>	<b>ONE HUNDRED MILE HOU</b>	BC	Nit	ND1	5.5	kW
840	<b>CKCW</b>	<b>MONCTON</b>	NB	Day	DA2	0	kW
840	<b>CKCW</b>	<b>MONCTON</b>	NB	Nit	DA2	0	kW
840	<b>CKCW</b>	<b>MONCTON</b>	NB	Day	DA2	20	kW
840	<b>CKCW</b>	<b>MONCTON</b>	NB	Nit	DA2	20	kW
850	<b>CFSR</b>	<b>ABBOTSFORD</b>	BC	Day	DA2	10	kW
850	<b>CFSR</b>	<b>ABBOTSFORD</b>	BC	Nit	DA2	10	kW
850	<b>CHRQ</b>	<b>TIMMINS</b>	ON	Unl	DA2	50	kW
850	<b>CHVO</b>	<b>SPANIARD'S BAY</b>	NF	Unl	DA1	5	kW
850	<b>CHVO</b>	<b>SPANIARD'S BAY</b>	NF	Unl	DA1	5	kW
850	<b>CKBA</b>	<b>ATHABASCA</b>	AB	Day	DAN	9	kW
850	<b>CKBA</b>	<b>ATHABASCA</b>	AB	Nit	DAN	9	kW
850	<b>CKRD</b>	<b>RED DEER</b>	AB	Day	DAN	10	kW
850	<b>CKRD</b>	<b>RED DEER</b>	AB	Nit	DAN	5	kW

850	<b>CKVL</b>	<b>VERDUN</b>	QC	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
850	<b>CKVL</b>	<b>VERDUN</b>	QC	Nit	DA2	10	kW
850	<b>CKVL</b>	<b>VERDUN</b>	QC	Day	DA2	50	kW
850	<b>CKVL</b>	<b>VERDUN</b>	QC	Nit	DA2	10	kW
850	<b>CKVL</b>	<b>VERDUN</b>	QC	Day	DA2	50	kW
850	<b>CKVL</b>	<b>VERDUN</b>	QC	Nit	DA2	35	kW
850	<b>CKVL</b>	<b>MONTREAL</b>	QC	Day	DA2	50	kW
850	<b>CKVL</b>	<b>MONTREAL</b>	QC	Nit	DA2	10	kW
860	<b>CBH</b>	<b>HALIFAX</b>	NS	Day	DAN	10	kW
860	<b>CBH</b>	<b>HALIFAX</b>	NS	Nit	DAN	10	kW
860	<b>CBKF2</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
860	<b>CBKF2</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
860	<b>CFPR</b>	<b>PRINCE RUPERT</b>	BC	Day	ND1	70	kW
860	<b>CFPR</b>	<b>PRINCE RUPERT</b>	BC	Nit	ND1	7.5	kW
860	<b>CHAK</b>	<b>INUVIK</b>	NT	Unl	ND1	1	kW
860	<b>CJBC</b>	<b>TORONTO</b>	ON	Unl	ND1	50	kW
860	<b>CKKC</b>	<b>NELSON</b>	BC	Unl	DA1	1	kW
870	<b>831102</b>	<b>SAULT STE MARIE</b>	ON	Day	DA2	10	kW
870	<b>831102</b>	<b>SAULT STE MARIE</b>	ON	Nit	DA2	3	kW
870	<b>CFBV</b>	<b>SMITHERS</b>	BC	Day	ND1	9	kW
870	<b>CFBV</b>	<b>SMITHERS</b>	BC	Nit	ND1	9.5	kW
870	<b>CFSX</b>	<b>STEPHENVILLE</b>	NF	Unl	ND1	0.5	kW
870	<b>CKIR</b>	<b>INVERMERE</b>	BC	Day	ND1	1	kW
870	<b>CKIR</b>	<b>INVERMERE</b>	BC	Nit	ND1	1.25	kW
880	<b>CHQT</b>	<b>EDMONTON</b>	AB	Day	DAN	0	kW
880	<b>CHQT</b>	<b>EDMONTON</b>	AB	Nit	DAN	0	kW

880	<b>CKKC</b>	<b>NELSON</b>	BC	Day	ND1	0	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
880	<b>CKKC</b>	<b>NELSON</b>	BC	Nit	ND1	0.7	kW
880	<b>CKLQ</b>	<b>BRANDON</b>	MB	Nit	DA2	30	kW
880	<b>CKLQ</b>	<b>BRANDON</b>	MB	Day	DA2	30	kW
890	<b>CJDC</b>	<b>DAWSON CREEK</b>	BC	Day	DAN	60	kW
890	<b>CJDC</b>	<b>DAWSON CREEK</b>	BC	Nit	DAN	60	kW
900	<b>CHML</b>	<b>HAMILTON</b>	ON	Unl	DA1	5	kW
900	<b>CHML</b>	<b>HAMILTON</b>	ON	Day	DA2	50	kW
900	<b>CHML</b>	<b>HAMILTON</b>	ON	Nit	DA2	50	kW
900	<b>CHYC</b>	<b>SUDBURY</b>	ON	Day	DA2	10	kW
900	<b>CHYC</b>	<b>SUDBURY</b>	ON	Nit	DA2	1	kW
900	<b>CJBR</b>	<b>RIMOUSKI</b>	QC	Day	DAN	20	kW
900	<b>CJBR</b>	<b>RIMOUSKI</b>	QC	Nit	DAN	20	kW
900	<b>CJER</b>	<b>ST. JEROME</b>	QC	Unl	DA1	1	kW
900	<b>CJER</b>	<b>ST. JEROME</b>	QC	Unl	DA1	1	kW
900	<b>CKBI</b>	<b>PRINCE ALBERT</b>	SK	Day	DAN	10	kW
900	<b>CKBI</b>	<b>PRINCE ALBERT</b>	SK	Nit	DAN	10	kW
900	<b>CKDH</b>	<b>AMHERST</b>	NS	Nit	DA2	1	kW
900	<b>CKMO</b>	<b>VICTORIA</b>	BC	Unl	DA1	10	kW
900	<b>CKTS</b>	<b>SHERBROOKE</b>	QC	Day	DA2	90	kW
900	<b>CKTS</b>	<b>SHERBROOKE</b>	QC	Nit	DA2	90	kW
900	<b>CKVD</b>	<b>VAL-D'OR</b>	QC	Day	DA1	10	kW
900	<b>CKVD</b>	<b>VAL-D'OR</b>	QC	Nit	DA1	1.5	kW
910	<b>CHRL</b>	<b>ROBERVAL</b>	QC	Day	DAN	10	kW
910	<b>CHRL</b>	<b>ROBERVAL</b>	QC	Nit	DAN	10	kW
910	<b>CKDQ</b>	<b>DRUMHELLER</b>	AB	Day	DA2	30	kW

910	<b>CKDQ</b>	<b>DRUMHELLER</b>	AB	Nit	DA2	30	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
910	<b>CKLY</b>	<b>LINDSAY</b>	ON	Unl	DA1	1	kW
910	<b>CKLY</b>	<b>LINDSAY</b>	ON	Day	DA2	10	kW
910	<b>CKLY</b>	<b>LINDSAY</b>	ON	Nit	DA2	5	kW
920	<b>CBO</b>	<b>OTTAWA</b>	ON	Day	DA2	10	kW
920	<b>CBO</b>	<b>OTTAWA</b>	ON	Nit	DA2	10	kW
920	<b>CBO</b>	<b>OTTAWA</b>	ON	Day	DA2	50	kW
920	<b>CBO</b>	<b>OTTAWA</b>	ON	Nit	DA2	50	kW
920	<b>CFLS</b>	<b>LEVIS</b>	QC	Nit	DA2	10	kW
920	<b>CFLS</b>	<b>LEVIS</b>	QC	Day	DA2	10	kW
920	<b>CFLS</b>	<b>LEVIS</b>	QC	Nit	DA2	10	kW
920	<b>CFLS</b>	<b>LEVIS</b>	QC	Nit	DA2	10	kW
920	<b>CFLS</b>	<b>LEVIS</b>	QC	Day	DA2	10	kW
920	<b>CFRY</b>	<b>PORTAGE LA PRAIRIE</b>	MB	Day	DA2	80	kW
920	<b>CFRY</b>	<b>PORTAGE LA PRAIRIE</b>	MB	Nit	DA2	80	kW
920	<b>CFRY</b>	<b>PORTAGE LA PRAIRIE</b>	MB	Day	DA2	25	kW
920	<b>CFRY</b>	<b>PORTAGE LA PRAIRIE</b>	MB	Nit	DA2	15	kW
920	<b>CJCH</b>	<b>HALIFAX</b>	NS	Day	DAN	5	kW
920	<b>CJCH</b>	<b>HALIFAX</b>	NS	Nit	DAN	5	kW
920	<b>CJCH</b>	<b>HALIFAX</b>	NS	Day	DAN	25	kW
920	<b>CJCH</b>	<b>HALIFAX</b>	NS	Nit	DAN	25	kW
920	<b>CJCJ</b>	<b>WOODSTOCK</b>	NB	Day	DA2	10	kW
920	<b>CJCJ</b>	<b>WOODSTOCK</b>	NB	Nit	DA2	1	kW
920	<b>CKCQ</b>	<b>QUESNEL</b>	BC	Day	DAN	10	kW
920	<b>CKCQ</b>	<b>QUESNEL</b>	BC	Nit	DAN	1	kW
920	<b>CKCY</b>	<b>SAULT STE. MARIE</b>	ON	Day	DA2	10	kW

920	<b>CKCY</b>	<b>SAULT STE MARIE</b>	ON	Nit	DA2	5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
920	<b>CKNX</b>	<b>WINGHAM</b>	ON	Day	DA2	30	kW
920	<b>CKNX</b>	<b>WINGHAM</b>	ON	Nit	DA2	3	kW
930	<b>CFBC</b>	<b>SAINT JOHN</b>	NB	Day	DA2	60	kW
930	<b>CFBC</b>	<b>SAINT JOHN</b>	NB	Day	DAD	50	kW
930	<b>CFBC</b>	<b>SAINT JOHN</b>	NB	Nit	DA2	60	kW
930	<b>CFBC</b>	<b>SAINT JOHN</b>	NB	Day	DA2	50	kW
930	<b>CJCA</b>	<b>EDMONTON</b>	AB	Nit	DA2	50	kW
930	<b>CJCA</b>	<b>EDMONTON</b>	AB	Day	DAN	50	kW
930	<b>CJYQ</b>	<b>ST. JOHN'S</b>	NF	Day	DAN	75	kW
930	<b>CJYQ</b>	<b>ST. JOHN'S</b>	NF	Nit	DAN	75	kW
930	<b>CJYQ</b>	<b>ST. JOHN'S</b>	NF	Day	DAN	50	kW
930	<b>CJYQ</b>	<b>ST. JOHNS</b>	NF	Nit	DAN	25	kW
930	<b>CKNS</b>	<b>ESPANOLA</b>	ON	Day	DAN	10	kW
930	<b>CKNS</b>	<b>ESPANOLA</b>	ON	Nit	DAN	10	kW
940	<b>CINW</b>	<b>MONTREAL</b>	QC	Day	DA1	50	kW
940	<b>CINW</b>	<b>MONTREAL</b>	QC	Nit	DA1	50	kW
940	<b>CJGX</b>	<b>YORKTON</b>	SK	Day	DA2	20	kW
940	<b>CJGX</b>	<b>YORKTON</b>	SK	Nit	DAN	20	kW
940	<b>CJGX</b>	<b>YORKTON</b>	SK	Day	DAN	50	kW
940	<b>CJIB</b>	<b>VERNON</b>	BC	Day	DAN	10	kW
940	<b>CJIB</b>	<b>VERNON</b>	BC	Nit	DAN	10	kW
950	<b>CFAM</b>	<b>ALTONA</b>	MB	Day	DA2	30	kW
950	<b>CFAM</b>	<b>ALTONA</b>	MB	Nit	DA2	30	kW
950	<b>CHER</b>	<b>SYDNEY</b>	NS	Unl	DA1	10	kW
950	<b>CHER</b>	<b>SYDNEY</b>	NS	Day	NDD	10	kW

950	<b>CKBB</b>	<b>BARRIE</b>	ON	Day	DA2	60	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
950	<b>CKBB</b>	<b>BARRIE</b>	ON	Nit	DA2	6.5	kW
950	<b>CKBB</b>	<b>BARRIE</b>	ON	Nit	DA2	10	kW
950	<b>CKBB</b>	<b>BARRIE</b>	ON	Day	DA2	10	kW
950	<b>CKBB</b>	<b>BARRIE</b>	ON	Day	DA2	10	kW
950	<b>CKBB</b>	<b>BARRIE</b>	ON	Nit	DA2	2.5	kW
950	<b>CKNB</b>	<b>CAMPBELLTON</b>	NB	Day	DA2	0	kW
950	<b>CKNB</b>	<b>CAMPBELLTON</b>	NB	Nit	DA2	0	kW
950	<b>CKNB</b>	<b>CAMPBELLTON</b>	NB	Day	DA2	10	kW
950	<b>CKNB</b>	<b>CAMBELLTON</b>	NB	Nit	DA2	1	kW
960	<b>CFAC</b>	<b>CALGARY</b>	AB	Day	DAN	50	kW
960	<b>CFAC</b>	<b>CALGARY</b>	AB	Nit	DAN	50	kW
960	<b>CFFX</b>	<b>KINGSTON</b>	ON	Day	DA2	0	kW
960	<b>CFFX</b>	<b>KINGSTON</b>	ON	Nit	DA2	0	kW
960	<b>CHNS</b>	<b>HALIFAX</b>	NS	Day	DAN	10	kW
960	<b>CHNS</b>	<b>HALIFAX</b>	NS	Nit	DAN	10	kW
960	<b>CIAM</b>	<b>CAMBRIDGE</b>	ON	Nit	DA1	1	kW
960	<b>CIAM</b>	<b>CAMBRIDGE</b>	ON	Day	DA2	5	kW
960	<b>CIAM</b>	<b>CAMBRIDGE</b>	ON	Unl	DA2	1	kW
960	<b>CIAM</b>	<b>CAMBRIDGE</b>	ON	Nit	DA2	10	kW
960	<b>CIAM</b>	<b>CAMBRIDGE</b>	ON	Day	DA1	1	kW
970	<b>970KA</b>	<b>KAPUSKASING</b>	ON	Day	DAN	10	kW
970	<b>970KA</b>	<b>KAPUSKASING</b>	ON	Nit	DAN	10	kW
970	<b>CBZ</b>	<b>FREDERICTON</b>	NB	Day	DAN	10	kW
970	<b>CBZ</b>	<b>FREDERICTON</b>	NB	Nit	DAN	10	kW
970	<b>CFIQ</b>	<b>HARBOUR GRACE</b>	NF	Day	ND1	4	kW

970	<b>CFIQ</b>	<b>HARBOUR GRACE</b>	NF	Nit	ND1	4.5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
970	<b>CFIQ</b>	<b>HARBOUR GRACE</b>	NF	Day	ND1	1	kW
970	<b>CFIQ</b>	<b>HARBOUR GRACE</b>	NF	Nit	ND1	0.5	kW
970	<b>CJYR</b>	<b>EDSON</b>	AB	Unl	DA1	10	kW
970	<b>CKCH</b>	<b>HULL</b>	QC	Day	DA2	50	kW
970	<b>CKCH</b>	<b>HULL</b>	QC	Nit	DA2	5	kW
970	<b>CKCH</b>	<b>HULL</b>	QC	Day	DA2	10	kW
970	<b>CKCH</b>	<b>HULL</b>	QC	Nit	DA2	5	kW
980	<b>BERNIE</b>	<b>QUEBEC</b>	QC	Day	DA2	50	kW
980	<b>BERNIE</b>	<b>QUEBEC</b>	QC	Nit	DA2	50	kW
980	<b>CFPL</b>	<b>LONDON</b>	ON	Day	DA2	10	kW
980	<b>CFPL</b>	<b>LONDON</b>	ON	Nit	DA2	5	kW
980	<b>CJME</b>	<b>REGINA</b>	SK	Day	DA2	10	kW
980	<b>CJME</b>	<b>REGINA</b>	SK	Nit	DA2	5	kW
980	<b>CJRP</b>	<b>SAINT NICOLAS</b>	QC	Day	DA2	10	kW
980	<b>CJRP</b>	<b>SAINT NICOLAS</b>	QC	Nit	DA2	10	kW
980	<b>CKNW</b>	<b>NEW WESTMINSTER</b>	BC	Unl	DA1	50	kW
980	<b>CKRU</b>	<b>PETERBOROUGH</b>	ON	Day	DA2	80	kW
980	<b>CKRU</b>	<b>PETERBOROUGH</b>	ON	Nit	DA2	8.5	kW
990	<b>CBDB</b>	<b>WATSON LAKE</b>	YT	Day		0.4	kW
990	<b>CBDB</b>	<b>WATSON LAKE</b>	YT	Nit		0.16	kW
990	<b>CBW</b>	<b>WINNIPEG</b>	MB	Day	ND1	20	kW
990	<b>CBW</b>	<b>WINNIPEG</b>	MB	Nit	ND1	26	kW
990	<b>CBY</b>	<b>CORNER BROOK</b>	NF	Unl	ND1	10	kW
990	<b>CHTX</b>	<b>MONTREAL</b>	QC	Day	DA2	0	kW
990	<b>CHTX</b>	<b>MONTREAL</b>	QC	Nit	DA2	0	kW

990	<b>CHTX</b>	<b>MONTREAL</b>	QC	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
990	<b>CHTX</b>	<b>MONTREAL</b>	QC	Nit	DA2	50	kW
990	<b>CKGM</b>	<b>MONTREAL</b>	QC	Day	DA2	0	kW
990	<b>CKGM</b>	<b>MONTREAL</b>	QC	Nit	DA2	0	kW
1000	<b>CFLP</b>	<b>RIMOUSKI</b>	QC	Nit	DA2	10	kW
1000	<b>CFLP</b>	<b>RIMOUSKI</b>	QC	Day	DA2	10	kW
1000	<b>CFLP</b>	<b>RIMOUSKI</b>	QC	Nit	DA2	10	kW
1000	<b>CKBW</b>	<b>BRIDGEWATER</b>	NS	Day	DAN	10	kW
1000	<b>CKBW</b>	<b>BRIDGEWATER</b>	NS	Nit	DAN	10	kW
1020	<b>CKVH</b>	<b>HIGH PRAIRIE</b>	AB	Day	ND1	1	kW
1020	<b>CKVH</b>	<b>HIGH PRAIRIE</b>	AB	Nit	ND1	0.4	kW
1020	<b>CKVH</b>	<b>HIGH PRAIRIE</b>	AB	Day	ND1	1	kW
1020	<b>CKVH</b>	<b>HIGH PRAIRIE</b>	AB	Nit	ND1	0.4	kW
1040	<b>CJMS</b>	<b>ST. CONSTANT</b>	QC	Day	DA2	10	kW
1040	<b>CJMS</b>	<b>ST. CONSTANT</b>	QC	Nit	DA2	5	kW
1040	<b>CKST</b>	<b>VANCOUVER</b>	BC	Day	DA2	50	kW
1040	<b>CKST</b>	<b>VANCOUVER</b>	BC	Nit	DA2	50	kW
1040	<b>CKST</b>	<b>VANCOUVER</b>	BC	Day	DA2	50	kW
1040	<b>CKST</b>	<b>VANCOUVER</b>	BC	Nit	DA2	50	kW
1040	<b>CKXY</b>	<b>VANCOUVER</b>	BC	Day	DA2	20	kW
1040	<b>CKXY</b>	<b>VANCOUVER</b>	BC	Nit	DA2	20	kW
1050	<b>CFGP</b>	<b>GRANDE PRAIRIE</b>	AB	Unl	DA1	10	kW
1050	<b>CFYN</b>	<b>SAULT STE MARIE</b>	ON	Day	DAN	10	kW
1050	<b>CFYN</b>	<b>SAULT STE MARIE</b>	ON	Nit	DAN	2.5	kW
1050	<b>CHUM</b>	<b>TORONTO</b>	ON	Day	DA2	50	kW
1050	<b>CHUM</b>	<b>TORONTO</b>	ON	Nit	DA2	50	kW

1050	<b>CICF</b>	<b>VERNON</b>	<b>BC</b>	<b>Nit</b>	<b>DAN</b>	4	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1050	<b>CICF</b>	<b>VERNON</b>	<b>BC</b>	<b>Day</b>	<b>DAN</b>	10	kW
1050	<b>CJNB</b>	<b>NORTH BATTLEFORD</b>	<b>SK</b>	<b>Day</b>	<b>DAN</b>	10	kW
1050	<b>CJNB</b>	<b>NORTH BATTLEFORD</b>	<b>SK</b>	<b>Nit</b>	<b>DAN</b>	10	kW
1050	<b>CKSB</b>	<b>ST. BONIFACE</b>	<b>MB</b>	<b>Day</b>	<b>DAN</b>	10	kW
1050	<b>CKSB</b>	<b>ST. BONIFACE</b>	<b>MB</b>	<b>Nit</b>	<b>DAN</b>	10	kW
1060	<b>CJRP</b>	<b>QUEBEC</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	50	kW
1060	<b>CJRP</b>	<b>QUEBEC</b>	<b>QC</b>	<b>Nit</b>	<b>DA2</b>	50	kW
1060	<b>CJRP</b>	<b>QUEBEC</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	50	kW
1060	<b>CJRP</b>	<b>SAINT NICOLAS</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	10	kW
1060	<b>CJRP</b>	<b>SAINT NICOLAS</b>	<b>QC</b>	<b>Nit</b>	<b>DA2</b>	10	kW
1060	<b>CKMX</b>	<b>CALGARY</b>	<b>AB</b>	<b>Day</b>	<b>DAN</b>	40	kW
1060	<b>CKMX</b>	<b>CALGARY</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	40	kW
1070	<b>CBA</b>	<b>MONCTON</b>	<b>NB</b>	<b>Unl</b>	<b>ND1</b>	50	kW
1070	<b>CFAX</b>	<b>VICTORIA</b>	<b>BC</b>	<b>Unl</b>	<b>DA1</b>	10	kW
1070	<b>CHOK</b>	<b>SARNIA</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	10	kW
1070	<b>CHOK</b>	<b>SARNIA</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	10	kW
1080	<b>CKSA</b>	<b>LLOYDMINSTER</b>	<b>AB</b>	<b>Day</b>	<b>DAN</b>	10	kW
1080	<b>CKSA</b>	<b>LLOYDMINSTER</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	10	kW
1080	<b>CKSA</b>	<b>LLOYDMINSTER</b>	<b>AB</b>	<b>Day</b>	<b>DAN</b>	50	kW
1090	<b>CKKW</b>	<b>KITCHENER</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	20	kW
1090	<b>CKKW</b>	<b>KITCHENER</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	20	kW
1090	<b>CKRX</b>	<b>LETHBRIDGE</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	1	kW
1090	<b>CKRX</b>	<b>LETHBRIDGE</b>	<b>AB</b>	<b>Day</b>	<b>DAN</b>	10	kW
1090	<b>CKRX</b>	<b>LETHBRIDGE</b>	<b>AB</b>	<b>Day</b>	<b>DAN</b>	10	kW
1090	<b>CKRX</b>	<b>LETHBRIDGE</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	5	kW

1110	<b>CKTY</b>	<b>SARNIA</b>	ON	Day	DA2	70	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1110	<b>CKTY</b>	<b>SARNIA</b>	ON	Nit	DA2	7	kW
1130	<b>CKWX</b>	<b>VANCOUVER</b>	BC	Day	DA2	90	kW
1130	<b>CKWX</b>	<b>VANCOUVER</b>	BC	Nit	DA2	90	kW
1140	<b>CBI</b>	<b>SYDNEY</b>	NS	Day	DAN	10	kW
1140	<b>CBI</b>	<b>SYDNEY</b>	NS	Nit	DAN	10	kW
1140	<b>CFXL</b>	<b>CALGARY</b>	AB	Day	DAN	0	kW
1140	<b>CFXL</b>	<b>CALGARY</b>	AB	Nit	DAN	6	kW
1140	<b>CHRB</b>	<b>HIGH RIVER</b>	AB	Day	DAN	0	kW
1140	<b>CHRB</b>	<b>HIGH RIVER</b>	AB	Nit	DAN	6	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Day	DA2	20	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Nit	DA2	20	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Day	DA2	50	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Nit	DA2	10	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Day	DA2	50	kW
1140	<b>CJTR</b>	<b>TROIS RIVIERES</b>	QC	Nit	DA2	10	kW
1150	<b>CHGM</b>	<b>GASPE</b>	QC	Unl	DA1	8	kW
1150	<b>CHSJ</b>	<b>ST. JOHN</b>	NB	Day	DA2	10	kW
1150	<b>CHSJ</b>	<b>ST. JOHN</b>	NB	Nit	DA2	5	kW
1150	<b>CJRC</b>	<b>GATINEAU</b>	QC	Nit	DA2	5	kW
1150	<b>CJRC</b>	<b>GATINEAU</b>	QC	Day	DA2	50	kW
1150	<b>CJRC</b>	<b>OTTAWA</b>	ON	Day	DA2	70	kW
1150	<b>CJRC</b>	<b>OTTAWA</b>	ON	Nit	DA2	7	kW
1150	<b>CJRC</b>	<b>OTTAWA</b>	ON	Day	DA2	50	kW
1150	<b>CKBL</b>	<b>KELOWNA</b>	BC	Day	DAN	10	kW
1150	<b>CKBL</b>	<b>KELOWNA</b>	BC	Nit	DAN	10	kW

1150	<b>CKFR</b>	<b>KELOWNA</b>	BC	Day	DAN	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1150	<b>CKFR</b>	<b>KELOWNA</b>	BC	Nit	DAN	10	kW
1150	<b>CKOC</b>	<b>HAMILTON</b>	ON	Day	DA2	60	kW
1150	<b>CKOC</b>	<b>HAMILTON</b>	ON	Nit	DA2	60	kW
1150	<b>CKX</b>	<b>BRANDON</b>	MB	Day	DA2	50	kW
1150	<b>CKX</b>	<b>BRANDON</b>	MB	Nit	DA2	10	kW
1170	<b>1170TB</b>	<b>THUNDER BAY</b>	ON	Day	DAN	10	kW
1170	<b>1170TB</b>	<b>THUNDER BAY</b>	ON	Nit	DAN	2.5	kW
1170	<b>CKGY</b>	<b>RED DEER</b>	AB	Day	DA2	90	kW
1170	<b>CKGY</b>	<b>RED DEER</b>	AB	Nit	DA2	9	kW
1170	<b>CKGY</b>	<b>RED DEER</b>	AB	Day	DAN	50	kW
1170	<b>CKGY</b>	<b>RED DEER</b>	AB	Nit	DAN	14	kW
1180	<b>831219</b>	<b>VIRDEN</b>	MB	Day	DAN	10	kW
1180	<b>831219</b>	<b>VIRDEN</b>	MB	Nit	DAN	1	kW
1190	<b>CFSL</b>	<b>WEYBURN</b>	SK	Day	DAN	10	kW
1190	<b>CFSL</b>	<b>WEYBURN</b>	SK	Nit	DAN	5	kW
1190	<b>CJMR</b>	<b>MISSISSAUGA</b>	ON	Day	DAD	10	kW
1190	<b>CJMR</b>	<b>MISSISSAUGA</b>	ON	Day	DAD	10	kW
1200	<b>CFGO</b>	<b>OTTAWA</b>	ON	Day	DA2	90	kW
1200	<b>CFGO</b>	<b>OTTAWA</b>	ON	Nit	DA2	90	kW
1200	<b>CFGO</b>	<b>OTTAWA</b>	ON	Day	DA2	50	kW
1200	<b>CFGO</b>	<b>OTTAWA</b>	ON	Nit	DA2	50	kW
1200	<b>CHMG</b>	<b>ST. ALBERT</b>	AB	Day	DA2	15	kW
1200	<b>CHMG</b>	<b>ST. ALBERT</b>	AB	Nit	DA2	15	kW
1200	<b>CHMG</b>	<b>ST. ALBERT</b>	AB	Day	DA2	25	kW
1200	<b>CHMG</b>	<b>ST. ALBERT</b>	AB	Nit	DA2	25	kW

1200	<b>CKOT</b>	<b>TILLSONBURG</b>	ON	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1200	<b>CKOT</b>	<b>TILLSONBURG</b>	ON	Nit	DA2	50	kW
1200	<b>CKXM</b>	<b>VICTORIA</b>	BC	Unl	DA1	70	kW
1200	<b>VAN2</b>	<b>VANCOUVER</b>	BC	Day	DA2	25	kW
1200	<b>VAN2</b>	<b>VANCOUVER</b>	BC	Nit	DA2	25	kW
1210	<b>CACLNA</b>	<b>CLEARWATER</b>	BC	Nit	ND2	1	kW
1210	<b>CACLNA</b>	<b>CLEARWATER</b>	BC	Day	ND1	10	kW
1210	<b>CACLNA</b>	<b>CLEARWATER</b>	BC	Nit	ND1	1	kW
1210	<b>CFYM</b>	<b>KINDERSLEY</b>	SK	Day	ND1	8	kW
1210	<b>CFYM</b>	<b>KINDERSLEY</b>	SK	Nit	ND1	8.25	kW
1210	<b>CKWA</b>	<b>SLAVE LAKE</b>	AB	Unl	ND1	1	kW
1220	<b>CFVM</b>	<b>AMQUI</b>	QC	Day	DAN	10	kW
1220	<b>CFVM</b>	<b>AMQUI</b>	QC	Nit	DAN	1	kW
1220	<b>CHSC</b>	<b>ST. CATHARINES</b>	ON	Day	DA2	10	kW
1220	<b>CHSC</b>	<b>ST. CATHARINES</b>	ON	Nit	DA2	10	kW
1220	<b>CHSC</b>	<b>ST. CATHARINES</b>	ON	Day	DA2	10	kW
1220	<b>CHSC</b>	<b>ST. CATHARINES</b>	ON	Nit	DA2	10	kW
1220	<b>CJOC</b>	<b>LETHBRIDGE</b>	AB	Day	DAN	10	kW
1220	<b>CJOC</b>	<b>LETHBRIDGE</b>	AB	Nit	DAN	5	kW
1220	<b>CJRB</b>	<b>BOISSEVAIN</b>	MB	Day	DA2	10	kW
1220	<b>CJRB</b>	<b>BOISSEVAIN</b>	MB	Nit	DA2	10	kW
1220	<b>CJRL</b>	<b>KENORA</b>	ON	Day	ND1	9	kW
1220	<b>CJRL</b>	<b>KENORA</b>	ON	Nit	ND1	9	kW
1220	<b>CJUL</b>	<b>CORNWALL</b>	ON	Day	DA2	1	kW
1220	<b>CJUL</b>	<b>CORNWALL</b>	ON	Nit	DA2	1	kW
1220	<b>CKSM</b>	<b>SHAWINIGAN FALLS</b>	QC	Day	DA2	10	kW

1220	<b>CKSM</b>	<b>SHAWINIGAN FALLS</b>	QC	Nit	DA2	2.5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1220	<b>CKSM</b>	<b>SHAWINIGAN</b>	QC	Day	DA2	10	kW
1220	<b>CKSM</b>	<b>SHAWINIGAN</b>	QC	Nit	DA2	2.5	kW
1230	<b>CFFB</b>	<b>IQUALUIT</b>	NT	Unl	ND1	1	kW
1230	<b>CFFB</b>	<b>IQUALUIT</b>	NT	Day	ND1	1	kW
1230	<b>CFFB</b>	<b>IQUALUIT</b>	NT	Nit	ND1	4	kW
1230	<b>CFGN</b>	<b>PORT AUX BASQUES</b>	NF	Nit	ND1	1	kW
1230	<b>CFGN</b>	<b>PORT AUX BASQUES</b>	NF	Day	ND1	0.25	kW
1230	<b>CFGN</b>	<b>PORT AUX BASQUES</b>	NF	Unl	ND1	0.25	kW
1230	<b>CFLN</b>	<b>GOOSE BAY</b>	NF	Unl	ND1	9	kW
1230	<b>CHFC</b>	<b>CHURCHILL</b>	MB	Unl	ND1	1	kW
1230	<b>CHFC</b>	<b>CHURCHILL</b>	MB	Unl	ND1	0.25	kW
1230	<b>CHVD</b>	<b>DOLBEAU</b>	QC	Day	ND1	70	kW
1230	<b>CHVD</b>	<b>DOLBEAU</b>	QC	Nit	ND1	7	kW
1230	<b>CHYK</b>	<b>KAPUSKASING</b>	ON	Day	ND1	2	kW
1230	<b>CHYK</b>	<b>KAPUSKASING</b>	ON	Nit	ND1	2.6	kW
1230	<b>CILW</b>	<b>WAINWRIGHT</b>	AB	Unl	ND1	7	kW
1230	<b>CIYR</b>	<b>HINTON</b>	AB	Unl	ND1	8	kW
1230	<b>CJLB</b>	<b>THUNDER BAY</b>	ON	Day	ND1	5	kW
1230	<b>CJLB</b>	<b>THUNDER BAY</b>	ON	Nit	ND1	5	kW
1230	<b>CJLB</b>	<b>THUNDER BAY</b>	ON	Day	ND1	4	kW
1230	<b>CJLB</b>	<b>THUNDER BAY</b>	ON	Nit	ND1	1	kW
1230	<b>CJLP</b>	<b>DISRAELI</b>	QC	Unl	ND1	6	kW
1230	<b>CJNL</b>	<b>MERRITT</b>	BC	Unl	ND1	6	kW
1230	<b>CJOK</b>	<b>FORT MCMURRAY</b>	AB	Unl	ND1	3	kW
1230	<b>CJOK</b>	<b>FORT MCMURRAY</b>	AB	Day	ND1	3	kW

1230	<b>CJOK</b>	<b>FORT MCMURRAY</b>	AB	Unl	ND1	1	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1230	<b>CJSA</b>	<b>STE. AGATHE DES MONT</b>	QC	Unl	ND1	8	kW
1230	<b>CJTT</b>	<b>NEW LISKEARD</b>	ON	Unl	ND1	4	kW
1230	<b>CKMP</b>	<b>MIDLAND</b>	ON	Unl	ND1	3	kW
1230	<b>CKMP</b>	<b>MIDLAND</b>	ON	Unl	ND1	1	kW
1230	<b>CKTK</b>	<b>KITIMAT</b>	BC	Unl	ND1	5	kW
1230	<b>VOAR</b>	<b>ST. JOHN'S</b>	NF	Unl	ND1	1.1	kW
1230	<b>VOAR</b>	<b>ST. JOHN'S</b>	NF	Unl	ND1	0.1	kW
1240	<b>CBSI-4</b>	<b>LABRADOR CITY</b>	NF	Unl	ND1	8	kW
1240	<b>CFEK</b>	<b>FERNIE</b>	BC	Unl	DA1	9	kW
1240	<b>CFLM</b>	<b>LA TUQUE</b>	QC	Unl	ND1	8	kW
1240	<b>CFNI</b>	<b>PORT HARDY</b>	BC	Unl	ND1	4	kW
1240	<b>CJAF</b>	<b>CABANO</b>	QC	Unl	ND1	5	kW
1240	<b>CJAR</b>	<b>THE PAS</b>	MB	Unl	ND1	6	kW
1240	<b>CJAV</b>	<b>PORT ALBERNI</b>	BC	Unl	ND1	3	kW
1240	<b>CJCD</b>	<b>YELLOWKNIFE</b>	NT	Unl	ND1	1	kW
1240	<b>CJCD</b>	<b>YELLOWKNIFE</b>	NT	Day	ND2	1	kW
1240	<b>CJCD</b>	<b>YELLOWKNIFE</b>	NT	Nit	ND2	4	kW
1240	<b>CJCD</b>	<b>YELLOWKNIFE</b>	NT	Unl	ND1	1	kW
1240	<b>CJCS</b>	<b>STRATFORD</b>	ON	Unl	ND1	1	kW
1240	<b>CJCS</b>	<b>STRATFORD</b>	ON	Day	ND1	0.5	kW
1240	<b>CJCS</b>	<b>STRATFORD</b>	ON	Nit	ND1	0.25	kW
1240	<b>CJMD</b>	<b>CHIBOUGAMAU</b>	QC	Unl	ND1	6	kW
1240	<b>CJNH</b>	<b>BANCROFT</b>	ON	Unl	ND1	0	kW
1240	<b>CJNS</b>	<b>MEADOW LAKE</b>	SK	Unl	ND1	1	kW
1240	<b>CJRW</b>	<b>SUMMERSIDE</b>	PE	Unl	ND1	4	kW

1240	<b>CJWA</b>	<b>WAWA</b>	ON	Unl	ND1	3	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1240	<b>CJWA</b>	<b>WAWA</b>	ON	Unl	ND1	1	kW
1240	<b>CKBS</b>	<b>ST. HYACINTHE</b>	QC	Unl	ND1	0.25	kW
1240	<b>CKBS</b>	<b>ST. HYACINTHE</b>	QC	Unl	ND1	1	kW
1240	<b>CKBS</b>	<b>ST. HYACINTHE</b>	QC	Unl	ND1	1	kW
1240	<b>CKBS</b>	<b>ST. HYACINTHE</b>	QC	Unl	ND1	1	kW
1240	<b>CKIM</b>	<b>BAIE VERTE</b>	NF	Unl	ND1	7	kW
1240	<b>CKIS</b>	<b>HOPE</b>	BC	Unl	ND1	0	kW
1240	<b>CKLS</b>	<b>LA SARRE</b>	QC	Unl	ND1	7	kW
1240	<b>CKMK</b>	<b>MACKENZIE</b>	BC	Unl	ND1	1	kW
1240	<b>CKOO</b>	<b>OSOYOOS</b>	BC	Unl	ND1	2	kW
1250	<b>CHSM</b>	<b>STEINBACH</b>	MB	Unl	DA1	20	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Day	DA2	30	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Nit	DA2	3	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Day	DA2	10	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Nit	DA2	5	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Day	DA2	10	kW
1250	<b>CJYE</b>	<b>OAKVILLE</b>	ON	Nit	DA2	10	kW
1250	<b>CKOM</b>	<b>SASKATOON</b>	SK	Day	DAN	10	kW
1250	<b>CKOM</b>	<b>SASKATOON</b>	SK	Nit	DAN	10	kW
1250	<b>GATIN</b>	<b>GATINEAU</b>	QC	Day	ND2	1	kW
1250	<b>GATIN</b>	<b>GATINEAU</b>	QC	Nit	ND2	0.1	kW
1260	<b>CFRN</b>	<b>EDMONTON</b>	AB	Day	DAN	70	kW
1260	<b>CFRN</b>	<b>EDMONTON</b>	AB	Nit	DAN	70	kW
1260	<b>CIHI</b>	<b>FREDERICTON</b>	NB	Day	DAN	0	kW
1260	<b>CIHI</b>	<b>FREDERICTON</b>	NB	Nit	DAN	0	kW

1260	<b>CIHI</b>	<b>FREDERICTON</b>	<b>NB</b>	Unl	DA1	0	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1270	<b>CBRU</b>	<b>SQUAMISH</b>	<b>BC</b>	Day	ND2	0.4	kW
1270	<b>CBRU</b>	<b>SQUAMISH</b>	<b>BC</b>	Nit	ND2	0.2	kW
1270	<b>CBRU</b>	<b>SQUAMISH</b>	<b>BC</b>	Day		0.4	kW
1270	<b>CBRU</b>	<b>SQUAMISH</b>	<b>BC</b>	Nit		0.2	kW
1270	<b>CFGT</b>	<b>ALMA</b>	<b>QC</b>	Day	DAN	10	kW
1270	<b>CFGT</b>	<b>ALMA</b>	<b>QC</b>	Nit	DAN	5	kW
1270	<b>CHAT</b>	<b>MEDICINE HAT</b>	<b>AB</b>	Day	DAN	10	kW
1270	<b>CHAT</b>	<b>MEDICINE HAT</b>	<b>AB</b>	Nit	DAN	10	kW
1270	<b>CHAT</b>	<b>MEDICINE HAT</b>	<b>AB</b>	Day	DAN	10	kW
1270	<b>CHAT</b>	<b>MEDICINE HAT</b>	<b>AB</b>	Nit	DAN	10	kW
1270	<b>CJCB</b>	<b>SYDNEY</b>	<b>NS</b>	Day	DAN	10	kW
1270	<b>CJCB</b>	<b>SYDNEY</b>	<b>NS</b>	Nit	DAN	10	kW
1270	<b>CJTN</b>	<b>TRENTON</b>	<b>ON</b>	Day	DA2	1	kW
1270	<b>CJTN</b>	<b>TRENTON</b>	<b>ON</b>	Nit	DA2	1	kW
1280	<b>CFMB</b>	<b>MONTREAL</b>	<b>QC</b>	Nit	DA2	50	kW
1280	<b>CFMB</b>	<b>MONTREAL</b>	<b>QC</b>	Nit	DA2	50	kW
1280	<b>CFMB</b>	<b>MONTREAL</b>	<b>QC</b>	Day	DA2	50	kW
1280	<b>CFYZ1</b>	<b>TORONTO</b>	<b>ON</b>	Day	DAD	0.4	kW
1280	<b>CFYZ1</b>	<b>TORONTO</b>	<b>ON</b>	Nit	DAD	0.15	kW
1280	<b>CHQB</b>	<b>POWELL RIVER</b>	<b>BC</b>	Unl	DA1	1	kW
1280	<b>CHRB</b>	<b>HIGH RIVER</b>	<b>AB</b>	Day	DA2	70	kW
1280	<b>CHRB</b>	<b>HIGH RIVER</b>	<b>AB</b>	Day	DA2	10	kW
1280	<b>CHRB</b>	<b>HIGH RIVER</b>	<b>AB</b>	Nit	DA2	70	kW
1280	<b>CJMS</b>	<b>MONTREAL</b>	<b>QC</b>	Day	DA2	0	kW
1280	<b>CJMS</b>	<b>MONTREAL</b>	<b>QC</b>	Day	DA2	50	kW

1280	<b>CJMS</b>	<b>MONTREAL</b>	QC	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1280	<b>CJSL</b>	<b>ESTEVAN</b>	SK	Day	DA2	10	kW
1280	<b>CJSL</b>	<b>ESTEVAN</b>	SK	Nit	DA2	10	kW
1280	<b>CJSL</b>	<b>ESTEVAN</b>	SK	Day	DAD	10	kW
1280	<b>CJSL</b>	<b>ESTEVAN</b>	SK	Day	DA2	10	kW
1280	<b>CJSL</b>	<b>ESTEVAN</b>	SK	Nit	DA2	10	kW
1280	<b>CKCV</b>	<b>QUEBEC</b>	QC	Day	DA2	10	kW
1280	<b>CKCV</b>	<b>QUEBEC</b>	QC	Nit	DA2	1	kW
1290	<b>CFRW</b>	<b>WINNIPEG</b>	MB	Day	DA2	30	kW
1290	<b>CFRW</b>	<b>WINNIPEG</b>	MB	Nit	DA2	30	kW
1290	<b>CHRM</b>	<b>MATANE</b>	QC	Day	DA2	50	kW
1290	<b>CHRM</b>	<b>MATANE</b>	QC	Nit	DA2	50	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Day	DA2	10	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Nit	DA2	10	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Day	DA2	10	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Nit	DA2	10	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Day	DA2	10	kW
1290	<b>CJBK</b>	<b>LONDON</b>	ON	Nit	DA2	10	kW
1300	<b>CBAF</b>	<b>MONCTON</b>	NB	Unl	DA1	5	kW
1300	<b>CJME</b>	<b>REGINA</b>	SK	Day	DA2	10	kW
1300	<b>CJME</b>	<b>REGINA</b>	SK	Nit	DA2	10	kW
1310	<b>CHGB</b>	<b>LA POCATIERE</b>	QC	Day	DAN	0	kW
1310	<b>CHGB</b>	<b>LA POCATIERE</b>	QC	Nit	DAN	0	kW
1310	<b>CHGB</b>	<b>LA POCATIERE</b>	QC	Day	DAN	10	kW
1310	<b>CHGB</b>	<b>LA POCATIERE</b>	QC	Nit	DAN	10	kW
1310	<b>CHLW</b>	<b>ST. PAUL</b>	AB	Day	DAN	80	kW

1310	<b>CHLW</b>	<b>ST PAUL</b>	<b>AB</b>	<b>Nit</b>	<b>DAN</b>	80	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1310	<b>CIWW</b>	<b>OTTAWA</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	90	kW
1310	<b>CIWW</b>	<b>OTTAWA</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	90	kW
1320	<b>CHMB</b>	<b>VANCOUVER</b>	<b>BC</b>	<b>Day</b>	<b>DA2</b>	50	kW
1320	<b>CHMB</b>	<b>VANCOUVER</b>	<b>BC</b>	<b>Nit</b>	<b>DA2</b>	50	kW
1320	<b>CHQM</b>	<b>VANCOUVER</b>	<b>BC</b>	<b>Day</b>	<b>DA2</b>	50	kW
1320	<b>CHQM</b>	<b>VANCOUVER</b>	<b>BC</b>	<b>Nit</b>	<b>DA2</b>	50	kW
1320	<b>CJMR</b>	<b>MISSISSAUGA</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	20	kW
1320	<b>CJMR</b>	<b>MISSISSAUGA</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	20	kW
1320	<b>CJMR</b>	<b>MISSISSAUGA</b>	<b>ON</b>	<b>Day</b>	<b>DA2</b>	20	kW
1320	<b>CJMR</b>	<b>MISSISSAUGA</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	20	kW
1320	<b>CJMR</b>	<b>MISSISSAUGA</b>	<b>ON</b>	<b>Nit</b>	<b>DA2</b>	20	kW
1320	<b>CJSO</b>	<b>SOREL</b>	<b>QC</b>	<b>Day</b>	<b>DA2</b>	10	kW
1320	<b>CJSO</b>	<b>SOREL</b>	<b>QC</b>	<b>Nit</b>	<b>DA2</b>	5	kW
1320	<b>CKEC</b>	<b>NEW GLASGOW</b>	<b>NS</b>	<b>Day</b>	<b>DAN</b>	25	kW
1320	<b>CKEC</b>	<b>NEW GLASGOW</b>	<b>NS</b>	<b>Nit</b>	<b>DAN</b>	25	kW
1330	<b>CJYM</b>	<b>ROSETOWN</b>	<b>SK</b>	<b>Unl</b>	<b>DA2</b>	10	kW
1330	<b>CKLD</b>	<b>THETFORD MINES</b>	<b>QC</b>	<b>Unl</b>	<b>DA1</b>	10	kW
1340	<b>CBGA-7</b>	<b>STE. ANNE DES MONTS</b>	<b>QC</b>	<b>Unl</b>	<b>ND1</b>	7	kW
1340	<b>CFED</b>	<b>CHAPAIS</b>	<b>QC</b>	<b>Unl</b>	<b>ND1</b>	0.25	kW
1340	<b>CFHC-1</b>	<b>BANFF</b>	<b>AB</b>	<b>Unl</b>	<b>ND1</b>	9	kW
1340	<b>CFHC-1</b>	<b>BANFF</b>	<b>AB</b>	<b>Unl</b>	<b>ND1</b>	1	kW
1340	<b>CFKC</b>	<b>CRESTON</b>	<b>BC</b>	<b>Unl</b>	<b>ND1</b>	0.25	kW
1340	<b>CFLW</b>	<b>WABUSH</b>	<b>NF</b>	<b>Nit</b>	<b>ND1</b>	1	kW
1340	<b>CFLW</b>	<b>WABASH</b>	<b>NF</b>	<b>Unl</b>	<b>ND1</b>	0.25	kW
1340	<b>CFOM</b>	<b>QUEBEC</b>	<b>QC</b>	<b>Unl</b>	<b>ND1</b>	0.25	kW

1340	<b>CFYK</b>	<b>YELLOW KNIFE</b>	NT	Unl	ND1	7.5	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1340	<b>CFYK</b>	<b>YELLOW KNIFE</b>	NT	Nit	ND1	7	kW
1340	<b>CHAD</b>	<b>AMOS</b>	QC	Nit	ND1	2	kW
1340	<b>CHAD</b>	<b>AMOS</b>	QC	Day	ND1	2	kW
1340	<b>CHOH</b>	<b>HEARST</b>	ON	Unl	ND1	9	kW
1340	<b>CIBQ</b>	<b>BROOKS</b>	AB	Unl	ND1	7	kW
1340	<b>CINL</b>	<b>ASHCROFT</b>	BC	Unl	ND1	9	kW
1340	<b>CIVH</b>	<b>VANDERHOOF</b>	BC	Unl	ND1	3	kW
1340	<b>CJAN</b>	<b>ASBESTOS</b>	QC	Day	DAD	1	kW
1340	<b>CJAN</b>	<b>ASBESTOS</b>	QC	Nit	DAD	1	kW
1340	<b>CJCM</b>	<b>GRAND CENTRE</b>	AB	Day	ND1	8	kW
1340	<b>CJCM</b>	<b>GRAND CENTRE</b>	AB	Nit	ND1	8	kW
1340	<b>CJLS</b>	<b>YARMOUTH</b>	NS	Day	DA2	6	kW
1340	<b>CJLS</b>	<b>YARMOUTH</b>	NS	Nit	DA2	6	kW
1340	<b>CKCR</b>	<b>REVELSTOKE</b>	BC	Unl	ND1	2	kW
1340	<b>CKCR</b>	<b>REVELSTOKE</b>	BC	Unl	ND1	1	kW
1340	<b>CKDK</b>	<b>WOODSTOCK</b>	ON	Day	DAD	1	kW
1340	<b>CKDK</b>	<b>WOODSTOCK</b>	ON	Nit	DAD	1	kW
1340	<b>CKDK</b>	<b>WOODSTOCK</b>	ON	Day	DAD	1	kW
1340	<b>CKDK</b>	<b>WOODSTOCK</b>	ON	Nit	DAD	1	kW
1340	<b>CKGF</b>	<b>GRAND FORKS</b>	BC	Unl	ND1	1	kW
1340	<b>CKHV</b>	<b>HAPPY VALLEY</b>	NF	Unl	ND1	4	kW
1340	<b>CKMG</b>	<b>MANIWAKI</b>	QC	Nit	ND1	1	kW
1340	<b>CKMG</b>	<b>MANIWAKI</b>	QC	Day	ND1	1	kW
1340	<b>CKMG</b>	<b>MANIWAKI</b>	QC	Nit	ND1	0.25	kW
1340	<b>CKNR</b>	<b>ELLIOT LAKE</b>	ON	Unl	ND1	8	kW

1340	<b>CKRE</b>	<b>RED LAKE</b>	ON	Nit	ND1	1	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1340	<b>CKRE</b>	<b>RED LAKE</b>	ON	Unl	ND1	0.25	kW
1340	<b>CKXX</b>	<b>CORNER BROOK</b>	NF	Unl	DA1	10	kW
1340	<b>CKXX</b>	<b>CORNER BROOK</b>	NF	Unl	DA1	10	kW
1350	<b>CHAL</b>	<b>ST. PAMPHILE</b>	QC	Unl	DA1	1	kW
1350	<b>CHRO</b>	<b>PEMBROKE</b>	ON	Unl	DA1	4	kW
1350	<b>CHRO</b>	<b>PEMBROKE</b>	ON	Day	DA2	4	kW
1350	<b>CHRO</b>	<b>PEMBROKE</b>	ON	Nit	DA2	4	kW
1350	<b>CJLM</b>	<b>JOLIETTE</b>	QC	Day	DA2	50	kW
1350	<b>CJLM</b>	<b>JOLIETTE</b>	QC	Nit	DA2	5	kW
1350	<b>CJLM</b>	<b>JOLIETTE</b>	QC	Nit	DA2	10	kW
1350	<b>CJLM</b>	<b>JOLIETTE</b>	QC	Day	DA2	10	kW
1350	<b>CJLM</b>	<b>JOLIETTE</b>	QC	Nit	DA2	1	kW
1350	<b>CKAD</b>	<b>MIDDLETON</b>	NS	Unl	DA1	1	kW
1350	<b>CKAR</b>	<b>OSHAWA</b>	ON	Nit	DA2	5	kW
1350	<b>CKAR</b>	<b>OSHAWA</b>	ON	Day	DA2	10	kW
1350	<b>CKAR</b>	<b>OSHAWA</b>	ON	Nit	DA2	5	kW
1350	<b>CKCI</b>	<b>PARKSVILLE</b>	BC	Unl	DA1	10	kW
1350	<b>CKEG</b>	<b>NANAIMO</b>	BC	Day	DA1	0	kW
1350	<b>CKEG</b>	<b>NANAIMO</b>	BC	Unl	DA1	0	kW
1360	<b>CJVL</b>	<b>STE MARIE DE BEAUCE</b>	QC	Nit	DA2	5	kW
1360	<b>CJVL</b>	<b>STE. MARIE DE BEAUCE</b>	QC	Day	DA2	10	kW
1360	<b>CJVL</b>	<b>STE MARIE DE BEAUCE</b>	QC	Nit	DA2	5	kW
1360	<b>CJVL</b>	<b>STE. MARIE DE BEAUCE</b>	QC	Day	DA2	10	kW
1360	<b>CKBC</b>	<b>BATHURST</b>	NB	Day	DAN	10	kW
1360	<b>CKBC</b>	<b>BATHURST</b>	NB	Nit	DAN	10	kW

1370	<b>CFLV</b>	<b>VALLEYFIELD</b>	QC	Day	DA1	20	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1370	<b>CFLV</b>	<b>VALLEYFIELD</b>	QC	Nit	DA1	2	kW
1370	<b>CFLV</b>	<b>VALLEYFIELD</b>	QC	Day	DA2	10	kW
1370	<b>CFLV</b>	<b>VALLEYFIELD</b>	QC	Nit	DA2	5	kW
1370	<b>CFOK</b>	<b>WESTLOCK</b>	AB	Day	DAN	10	kW
1370	<b>CFOK</b>	<b>WESTLOCK</b>	AB	Nit	DAN	10	kW
1370	<b>CFVD</b>	<b>VILLE DEGELIS</b>	QC	Unl	DA1	3	kW
1370	<b>CFVD</b>	<b>VILLE DEGELIS</b>	QC	Unl	DA1	1	kW
1370	<b>CFVD</b>	<b>VILLE DEGELIS</b>	QC	Unl	DA1	1	kW
1370	<b>CHPQ</b>	<b>PARKSVILLE</b>	BC	Unl	DA1	1	kW
1370	<b>CJWW</b>	<b>SASKATOON</b>	SK	Day	DA2	10	kW
1370	<b>CJWW</b>	<b>SASKATOON</b>	SK	Nit	DA2	10	kW
1380	<b>CFDA</b>	<b>VICTORIAVILLE</b>	QC	Nit	DA2	0	kW
1380	<b>CFDA</b>	<b>VICTORIAVILLE</b>	QC	Day	DA2	0	kW
1380	<b>CFDA</b>	<b>VICTORIAVILLE</b>	QC	Nit	DA2	10	kW
1380	<b>CHLR</b>	<b>MONCTON</b>	NB	Day	DAN	10	kW
1380	<b>CHLR</b>	<b>MONCTON</b>	NB	Nit	DAN	10	kW
1380	<b>CKLC</b>	<b>KINGSTON</b>	ON	Day	DA2	10	kW
1380	<b>CKLC</b>	<b>KINGSTON</b>	ON	Nit	DA2	10	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Day	DA2	70	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Nit	DA2	70	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Day	DA2	25	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Nit	DA2	25	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Day	DA2	25	kW
1380	<b>CKPC</b>	<b>BRANTFORD</b>	ON	Nit	DA2	25	kW
1390	<b>CHOO</b>	<b>AJAX</b>	ON	Day	DA2	20	kW

1390	<b>CHOO</b>	<b>AJAX</b>	ON	Nit	DA2	20	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1390	<b>CHOO</b>	<b>AJAX</b>	ON	Day	DA2	10	kW
1390	<b>CHOO</b>	<b>AJAX</b>	ON	Nit	DA2	10	kW
1390	<b>CJCY</b>	<b>MEDICINE HAT</b>	AB	Day	DA2	10	kW
1390	<b>CJCY</b>	<b>MEDICINE HAT</b>	AB	Nit	DA2	10	kW
1400	<b>CBG</b>	<b>GANDER</b>	NF	Unl	ND1	8	kW
1400	<b>CHNL-1</b>	<b>CLEARWATER</b>	BC	Unl	ND1	5	kW
1400	<b>CJEK</b>	<b>SPARWOOD</b>	BC	Unl	ND1	1	kW
1400	<b>CJFP</b>	<b>RIVIERE DU LOUP</b>	QC	Nit	DAN	40	kW
1400	<b>CJFP</b>	<b>RIVIERE DU LOUP</b>	QC	Day	DAN	40	kW
1400	<b>CJFP</b>	<b>RIVIERE DU LOUP</b>	QC	Nit	DAN	5	kW
1400	<b>CJFP</b>	<b>RIVIERE DU LOUP</b>	QC	Day	DAN	10	kW
1400	<b>CJFP</b>	<b>RIVIERE DU LOUP</b>	QC	Nit	DAN	5	kW
1400	<b>CKCB</b>	<b>COLLINGWOOD</b>	ON	Unl	ND1	9	kW
1400	<b>CKCB</b>	<b>COLLINGWOOD</b>	ON	Unl	ND1	1	kW
1400	<b>CKFL</b>	<b>LAC MEGANTIC</b>	QC	Unl	ND1	3	kW
1400	<b>CKGR</b>	<b>GOLDEN</b>	BC	Nit	ND1	6	kW
1400	<b>CKGR</b>	<b>GOLDEN</b>	BC	Day	ND1	6	kW
1400	<b>CKGR</b>	<b>GOLDEN</b>	BC	Nit	ND1	0.25	kW
1400	<b>CKGR</b>	<b>GOLDEN</b>	BC	Unl	ND1	6	kW
1400	<b>CKOB</b>	<b>RENFREW</b>	ON	Unl	ND1	1	kW
1400	<b>CKRN</b>	<b>ROUYN</b>	QC	Nit	ND1	5	kW
1400	<b>CKRN</b>	<b>ROUYN</b>	QC	Day	ND1	5	kW
1400	<b>CKRP</b>	<b>PRINCETON</b>	BC	Unl	ND1	7	kW
1400	<b>CKRV</b>	<b>DRUMMONDVILLE</b>	QC	Nit	DA1	0.4	kW
1400	<b>CKRV</b>	<b>DRUMMONDVILLE</b>	QC	Day	DA1	0.25	kW

1400	<b>CKRV</b>	<b>DRUMMONDVILLE</b>	QC	Nit	DA1	0.1	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1400	<b>CKSJ</b>	<b>ST. JOVITE</b>	QC	Nit	ND1	6	kW
1400	<b>CKSJ</b>	<b>ST. JOVITE</b>	QC	Day	ND1	6	kW
1400	<b>CKSJ</b>	<b>ST. JOVITE</b>	QC	Nit	ND1	0.25	kW
1400	<b>CKSJ</b>	<b>ST. JOVITE</b>	QC	Unl	ND1	6	kW
1400	<b>CKSQ</b>	<b>STETTLER</b>	AB	Unl	ND1	3	kW
1410	<b>CFMB</b>	<b>MONTREAL</b>	QC	Unl	DA1	10	kW
1410	<b>CFUN</b>	<b>VANCOUVER</b>	BC	Day	DA2	50	kW
1410	<b>CFUN</b>	<b>VANCOUVER</b>	BC	Nit	DA2	50	kW
1410	<b>CIGO</b>	<b>PORT HAWKESBURY</b>	NS	Day	DA2	10	kW
1410	<b>CIGO</b>	<b>PORT HAWKESBURY</b>	NS	Nit	DA2	10	kW
1410	<b>CKSL</b>	<b>LONDON</b>	ON	Day	DA2	10	kW
1410	<b>CKSL</b>	<b>LONDON</b>	ON	Nit	DA2	10	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Day	DAN	10	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Nit	DAN	2.5	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Day	DAN	10	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Nit	DAN	2.5	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Day	DAN	10	kW
1420	<b>CJMT</b>	<b>CHICOUTIMI</b>	QC	Nit	DAN	5	kW
1420	<b>CJVR</b>	<b>MELFORT</b>	SK	Day	DAN	10	kW
1420	<b>CJVR</b>	<b>MELFORT</b>	SK	Nit	DAN	10	kW
1420	<b>CJVR</b>	<b>MELFORT</b>	SK	Day	DAN	10	kW
1420	<b>CJVR</b>	<b>MELFORT</b>	SK	Nit	DAN	10	kW
1420	<b>CKDY</b>	<b>DIGBY</b>	NS	Unl	DA1	1	kW
1420	<b>CKPT</b>	<b>PETERBOROUGH</b>	ON	Day	DA2	10	kW
1420	<b>CKPT</b>	<b>PETERBOROUGH</b>	ON	Nit	DA2	5	kW

1420	<b>CKTL</b>	<b>PLESSISVILLE</b>	QC	Day	DAN	1	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1420	<b>CKTL</b>	<b>PLESSISVILLE</b>	QC	Nit	DAN	0.5	kW
1420	<b>CKTL</b>	<b>PLESSISVILLE</b>	QC	Day	DAN	1	kW
1420	<b>CKTL</b>	<b>PLESSISVILLE</b>	QC	Nit	DAN	0.5	kW
1430	<b>CJXX</b>	<b>GRANDE PRAIRIE</b>	AB	Unl	DA1	70	kW
1430	<b>CKYC</b>	<b>TORONTO</b>	ON	Day	DA2	90	kW
1430	<b>CKYC</b>	<b>TORONTO</b>	ON	Nit	DA2	90	kW
1440	<b>CFCP</b>	<b>COURTENAY</b>	BC	Day	DAN	1	kW
1440	<b>CFCP</b>	<b>COURTENAY</b>	BC	Nit	DAN	1	kW
1440	<b>CKJR</b>	<b>WETASKIWIN</b>	AB	Day	DAN	0	kW
1440	<b>CKJR</b>	<b>WETASKIWIN</b>	AB	Nit	DAN	0	kW
1450	<b>CBGA-4</b>	<b>CAUSAPSCAL</b>	QC	Unl	ND1	1	kW
1450	<b>CFAB</b>	<b>WINDSOR</b>	NS	Unl	ND1	7	kW
1450	<b>CFHC</b>	<b>CANMORE</b>	AB	Unl	ND1	1	kW
1450	<b>CFHC</b>	<b>CANMORE</b>	AB	Unl	ND1	1	kW
1450	<b>CFVM-1</b>	<b>CAUSAPSCAL</b>	QC	Unl	ND1	1	kW
1450	<b>CHEF</b>	<b>GRANBY</b>	QC	Day	DA2	10	kW
1450	<b>CHEF</b>	<b>GRANBY</b>	QC	Nit	DA2	10	kW
1450	<b>CHOU</b>	<b>MONTREAL</b>	QC	Day		1	kW
1450	<b>CHOU</b>	<b>MONTREAL</b>	QC	Nit		1	kW
1450	<b>CHRT</b>	<b>POHENEGAMOOK</b>	QC	Unl	ND1	1	kW
1450	<b>CHUC</b>	<b>COBOURG</b>	ON	Day	DA2	9	kW
1450	<b>CHUC</b>	<b>COBOURG</b>	ON	Nit	DA2	9	kW
1450	<b>CKSP</b>	<b>SUMMERLAND</b>	BC	Unl	ND1	5	kW
1450	<b>CKYR</b>	<b>JASPER</b>	AB	Unl	ND1	3.25	kW
1460	<b>CJOY</b>	<b>GUELPH</b>	ON	Day	DA2	10	kW

1460	<b>CJOY</b>	<b>GUELPH</b>	ON	Nit	DA2	10	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1460	<b>CJOY</b>	<b>GUELPH</b>	ON	Day	DA2	10	kW
1460	<b>CJOY</b>	<b>GUELPH</b>	ON	Nit	DA2	5	kW
1460	<b>CKRB</b>	<b>VILLE ST. GEORGES DE</b>	QC	Day	DAN	70	kW
1460	<b>CKRB</b>	<b>VILLE ST. GEORGES DE</b>	QC	Nit	DAN	7	kW
1470	<b>CHOW</b>	<b>WELLAND</b>	ON	Day	DA2	10	kW
1470	<b>CHOW</b>	<b>WELLAND</b>	ON	Day	DA2	10	kW
1470	<b>CHOW</b>	<b>WELLAND</b>	ON	Nit	DA2	10	kW
1470	<b>CJVB</b>	<b>VANCOUVER</b>	BC	Day	DA2	80	kW
1470	<b>CJVB</b>	<b>VANCOUVER</b>	BC	Nit	DA2	80	kW
1470	<b>CJVB</b>	<b>VANCOUVER</b>	BC	Day	DA2	50	kW
1470	<b>GRAN</b>	<b>GRANBY</b>	QC	Day	DA2	10	kW
1470	<b>GRAN</b>	<b>GRANBY</b>	QC	Nit	DA2	10	kW
1480	<b>CHRD</b>	<b>DRUMMONDVILLE</b>	QC	Day	DA2	50	kW
1480	<b>CHRD</b>	<b>DRUMMONDVILLE</b>	QC	Nit	DA2	35	kW
1480	<b>CKAN</b>	<b>NEWMARKET</b>	ON	Day	DA2	30	kW
1480	<b>CKAN</b>	<b>NEWMARKET</b>	ON	Nit	DA2	30	kW
1480	<b>CKDX</b>	<b>NEWMARKET</b>	ON	Nit	DA2	10	kW
1480	<b>CKDX</b>	<b>NEWMARKET</b>	ON	Day	DA2	10	kW
1480	<b>CKER</b>	<b>EDMONTON</b>	AB	Unl	DA1	20	kW
1490	<b>CBDQ</b>	<b>LABRADOR CITY</b>	NF	Unl	ND1	2	kW
1490	<b>CFPS</b>	<b>PORT ELGIN</b>	ON	Unl	ND1	5	kW
1490	<b>CFWB</b>	<b>CAMPBELL RIVER</b>	BC	Unl	ND1	6.88	kW
1490	<b>CJMC</b>	<b>STE ANNE DE MONTS</b>	QC	Nit	ND1	8	kW
1490	<b>CJMC</b>	<b>STE ANNE DE MONTS</b>	QC	Day	ND1	8	kW
1490	<b>CJPR</b>	<b>BLAIRMORE</b>	AB	Unl	ND1	5	kW

1490	<b>CJSN</b>	<b>SHALIMAVON</b>	<b>SK</b>	Unl	ND1	9	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM							
1490	<b>CKBM</b>	<b>MONTMAGNY</b>	<b>QC</b>	Nit	ND1	1	kW
1490	<b>CKBM</b>	<b>MONTMAGNY</b>	<b>QC</b>	Day	ND1	1	kW
1490	<b>CKBM</b>	<b>MONTMAGNY</b>	<b>QC</b>	Nit	ND1	0.25	kW
1490	<b>CKBM</b>	<b>MONTMAGNY</b>	<b>QC</b>	Day	ND1	1	kW
1490	<b>CKBM</b>	<b>MONTMAGNY</b>	<b>QC</b>	Nit	ND1	0.25	kW
1490	<b>CKEN</b>	<b>KENTVILLE</b>	<b>NS</b>	Day	ND1	1	kW
1490	<b>CKEN</b>	<b>KENTVILLE</b>	<b>NS</b>	Nit	ND1	0.75	kW
1490	<b>CKEN</b>	<b>KENTVILLE</b>	<b>NS</b>	Day	DA1	1	kW
1490	<b>CKEN</b>	<b>KENTVILLE</b>	<b>NS</b>	Nit	DA1	1	kW
1490	<b>CKLO</b>	<b>L'ANNONCIATION</b>	<b>QC</b>	Unl	ND1	6	kW
1490	<b>CKLO</b>	<b>L'ANNONCIATION</b>	<b>QC</b>	Unl	ND1	1	kW
1490	<b>CKMV</b>	<b>GRAND SAULT</b>	<b>NB</b>	Unl	ND1	1	kW
1490	<b>CKOA</b>	<b>ARNPRIOR</b>	<b>ON</b>	Unl	ND1	0.25	kW
1490	<b>CKOA</b>	<b>ARNPRIOR</b>	<b>ON</b>	Nit	ND1	0	kW
1490	<b>CKOA</b>	<b>ARNPRIOR</b>	<b>ON</b>	Unl	ND1	0.25	kW
1490	<b>CKOO-1</b>	<b>OLIVER</b>	<b>BC</b>	Nit	ND1	7	kW
1490	<b>CKOO-1</b>	<b>OLIVER</b>	<b>BC</b>	Day	ND1	7	kW
1490	<b>CKOO-1</b>	<b>OLIVER</b>	<b>BC</b>	Unl	ND1	7	kW
1500	<b>CKAY</b>	<b>DUNCAN</b>	<b>BC</b>	Day	DA2	0	kW
1500	<b>CKAY</b>	<b>DUNCAN</b>	<b>BC</b>	Nit	DA2	0	kW
1500	<b>CKAY</b>	<b>DUNCAN</b>	<b>BC</b>	Day	DA2	10	kW
1510	<b>CJRS</b>	<b>SHERBROOKE</b>	<b>QC</b>	Day	DA2	10	kW
1510	<b>CJRS</b>	<b>SHERBROOKE</b>	<b>QC</b>	Nit	DA2	10	kW
1510	<b>CJRS</b>	<b>SHERBROOKE</b>	<b>QC</b>	Day	DA2	10	kW
1510	<b>CJRS</b>	<b>SHERBROOKE</b>	<b>QC</b>	Nit	DA2	10	kW

1510	<b>CJRS</b>	<b>SHERBROOKE</b>	QC	Day	DA2	50	kW
CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDB.COM							
1510	<b>CKOT</b>	<b>TILLSONBURG</b>	ON	Day	DAD	10	kW
1540	<b>CHIN</b>	<b>TORONTO</b>	ON	Day	DA2	40	kW
1540	<b>CHIN</b>	<b>TORONTO</b>	ON	Nit	DA2	40	kW
1550	<b>CBE</b>	<b>WINDSOR</b>	ON	Unl	DA1	10	kW
1570	<b>CFAV</b>	<b>LAVAL</b>	QC	Day	DA2	10	kW
1570	<b>CFAV</b>	<b>LAVAL</b>	QC	Nit	DA2	10	kW
1570	<b>CFOR</b>	<b>ORILLIA</b>	ON	Day	DAN	10	kW
1570	<b>CFOR</b>	<b>ORILLIA</b>	ON	Nit	DAN	5	kW
1570	<b>CFOR</b>	<b>ORILLIA</b>	ON	Day	DAN	10	kW
1570	<b>CFOR</b>	<b>ORILLIA</b>	ON	Nit	DAN	5	kW
1570	<b>CHLO</b>	<b>ST. THOMAS</b>	ON	Day	DA2	10	kW
1570	<b>CHLO</b>	<b>ST. THOMAS</b>	ON	Nit	DA2	10	kW
1570	<b>CHLO</b>	<b>ST. THOMAS</b>	ON	Day	DA2	10	kW
1570	<b>CHLO</b>	<b>ST. THOMAS</b>	ON	Nit	DA2	10	kW
1570	<b>CKEG</b>	<b>NANAIMO</b>	BC	Day	DA2	10	kW
1570	<b>CKEG</b>	<b>NANAIMO</b>	BC	Nit	DA2	10	kW
1570	<b>CKMW</b>	<b>MORDEN</b>	MB	Day	DA2	30	kW
1570	<b>CKMW</b>	<b>MORDEN</b>	MB	Nit	DA2	30	kW
1570	<b>CKTA</b>	<b>TABER</b>	AB	Day	DAN	60	kW
1570	<b>CKTA</b>	<b>TABER</b>	AB	Nit	DAN	6	kW
1580	<b>CKDO</b>	<b>OSHAWA</b>	ON	Day	DA2	10	kW
1580	<b>CKDO</b>	<b>OSHAWA</b>	ON	Nit	DA2	10	kW
1580	<b>CKDO</b>	<b>OSHAWA</b>	ON	Day	DA2	10	kW
1580	<b>CKDO</b>	<b>OSHAWA</b>	ON	Nit	DA2	10	kW
1600	<b>CHNR</b>	<b>SIMCOE</b>	ON	Day	DA2	10	kW

1600	<b>CHNR</b>	<b>SIMCOE</b>	ON	Nit	DA2	10	kW
	CANADIAN FREQUENCY LIST COMPILED BY KEN FROM AMDX.COM						
1610	<b>CFOS</b>	<b>COLLINGWOOD</b>	ON	Day	ND1	1	kW
1610	<b>CFOS</b>	<b>COLLINGWOOD</b>	ON	Nit	ND1	1	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Day	ND1	1	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Nit	ND1	1	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Day	ND2	1	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Nit	ND2	1	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Day		10	kW
1610	<b>CHHA</b>	<b>TORONTO</b>	ON	Nit		1	kW
1610	<b>CJWI</b>	<b>MONTREAL</b>	QC	Day	ND1	1	kW
1610	<b>CJWI</b>	<b>MONTREAL</b>	QC	Nit	ND1	1	kW
1650	<b>CINA</b>	<b>MISSISSAUGA</b>	ON	Day	ND2	1	kW
1650	<b>CINA</b>	<b>MISSISSAUGA</b>	ON	Nit	ND2	0.68	kW
1650	<b>CINA</b>	<b>MISSISSAUGA</b>	ON	Day		1	kW
1650	<b>CINA</b>	<b>MISSISSAUGA</b>	ON	Nit		0.68	kW
1650	<b>CJRS</b>	<b>MONTREAL</b>	QC	Day		1	kW
1650	<b>CJRS</b>	<b>MONTREAL</b>	QC	Nit		1	kW
1690	<b>CHTO</b>	<b>TORONTO</b>	ON	Day		1	kW
1690	<b>CHTO</b>	<b>TORONTO</b>	ON	Nit		1	kW
1690	<b>CHTO</b>	<b>TORONTO</b>	ON	Day		1	kW
1690	<b>CHTO</b>	<b>TORONTO</b>	ON	Nit		1	kW
1690	<b>CJLO</b>	<b>MONTREAL</b>	QC	Day		1	kW
1690	<b>CJLO</b>	<b>MONTREAL</b>	QC	Nit		1	kW